Author / Subject Index for Volume 25 (1985)

AUTHOR INDEX

ABADI, R.V.
Dickinson, C.M. and Abadi, R.V. The influence of nystagmoid oscillation on contrast sensitivity in normal observers 25: 1089.

ADOLPH, A.R.
Adolph, A.R. Temporal transfer and nonlinearity properties of turtle ERG: tuning by temperature, pharmacology, and light intensity 25: 483.

AHNELT, P.K.
Ahnelt, P.K. Characterization of the color related receptor mosaic in the ground squirrel retina 25: 1557.

AIBA, T.S.
Morgan, M.J. and Aiba, T.S. Positional acuity with chromatic stimuli 25: 689.

AITSEBAOMO, A.P.
Levi, D.M., Klein, S.A. and Aitsebaomo, A.P. Vernier acuity, crowding and cortical magnification 25: 963.

AKITA, M.
Akita, M., Takahashi, S. and Ejima, Y. Red-green opponency in the detection and the perceptual hue cancellation 25: 1129.

ANDERSEN, R.A.
Golomb, B., Andersen, R.A., Nakayama, K., MacLeod, D.I.A. and Wong, A. Visual thresholds for shearing motion in monkey and man 25: 813.

ANDERSON, S.J.
Anderson, S.J. and Burr, D.C. Spatial and temporal selectivity of the human motion detection system 25: 1147.

ANDO, Y.-I.
Sakuranaga, M. and Ando, Y.-i. Visual sensitivity and Wiener kernels 25: 507.

ANSTIS, S.
Anstis, S., Giaschi, D. and Cogan, A.I. Adaptation to apparent motion 25: 1051.

APKARIAN, P.A.
Tyler, C.W. and Apkarian, P.A. Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.

APPLEGATE, R.
Bradley, A., Freeman, R.D. and Applegate, R. Is amblyopia spatial frequency or retinal locus specific? 25: 47.

AYAMA, M.
Kaiser, P.K. and Ayama, M. Just noticeable inhomogeneity criterion for determining wavelength discrimination functions 25: 1327.
Ayama, M., Kaiser, P.K. and Nakatsue, T. Additivity of red chromatic valence 25: 1885.

AYOUB, G.S.
Ayoub, G.S. and Lam, D.M.-K. The content and release of endogenous GABA in isolated horizontal cells of the goldfish retina 25: 1187.

BADCOCK, D.R.
Schor, C.M. and Badcock, D.R. A comparison of stereo and vernier acuity within spatial channels as a function of distance from fixation 25: 1113.
Badcock, D.R. and Derrington, A.M. Detecting the displacement of periodic patterns 25: 1253.
Badcock, D.R. and Westheimer, G. Spatial location and hyperacuity: the centre-surround localization contribution function has two substrates 25: 1259.
Derrington, A.M. and Badcock, D.R. Separate detectors for simple and complex grating patterns 25: 1869.
Derrington, A.M. and Badcock, D.R. The low level motion system has both chromatic and luminance inputs 25: 1879.

BAKER, C.L. JR.
Mullen, K.T. and Baker, C.L. Jr. A motion aftereffect from an isoluminant stimulus 25: 685.
Baker, C.L. Jr. and Braddick, O.J. Eccentricity-dependent scaling of the limits for short-range apparent motion perception 25: 803.

BANTA, A.R.
Banta, A.R. and Breitmeyer, B.G. Stationary patterns suppress the perception of stroboscopic motion 25: 1501.

BARBEITO, R.
Ono, H. and Barbeito, R. Utrocular discrimination is not sufficient for utrocular identification 25: 289.
Barbeito, R., Levi, D.M., Klein, S.A., Loshin, D. and Ono, H. Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.

BAYLIS, G.C.

Rolls, E.T., Baylis, G.C. and Leonard, C.M. Role of low and high spatial frequencies in the face-selective responses of neurons in the cortex in the superior temporal sulcus in the monkey 25: 1021.

BEAUCHAMP, R.
Hawryshyn, C.W. and Beauchamp, R. Ultraviolet photosensitivity in goldfish: an independent U.V. retinal mechanism 25: 11.

BECK, J.
Beck, J. and Halloran, T. Effects of spatial separation and retinal eccentricity on two-dot vernier acuity 25: 1105.

BECKER, W.
Becker, W. and Renner, A. Measuring eye movements with a search coil: non-linear filter allows simultaneous recording of horizontal and vertical eye position by means of t : phase modulation method 25: 1755.

BEHRENS, F.
Behrens, F., Collewijn, H. and Grusser, O.-J. Velocity step responses of the human gaze pursuit system. Experiments with sigma-movement 25: 893.

BENNETT, R.G.
Bennett, R.G. and Westheimer, G. A shift in the perceived simultaneity of adjacent visual stimuli following adaptation to stroboscopic motion along the same axis 25: 565.

BENNETT, R.R.
Bennett, R.R. and Brown, P.K. Properties of the visual pigments of the moth Manduca sexta and the effects of two detergents, digitonin and CHAPS 25: 1771.

BERGEN, J.R.
Bergen, J.R. and Wilson, H.R. Prediction of flicker sensitivities from temporal three-pulse data 25: 577.

BERNSTEIN, P.S.
Bernstein, P.S. and Rando, R.R. The specific inhibition of 11-cis-retinyl palmitate formation in the frog eye by diaminophenoxypentane, an inhibitor of rhodopsin regeneration 25: 741.

BESSETTE, B.B.
Hodos, W., Bessette, B.B., Macko, K.A. and Weiss, S.R.B. Normative data for pigeon vision 25: 1525.

DE BIE, J.
de Bie, J. An afterimage vernier method for assessing the precision of eye movement monitors: results for the scleral coil technique 25: 1341.

BIONDINI, A.R.
Biondini, A.R. and de Mattiello, M.L.F. Suprathreshold contrast perception at different luminance levels 25: 1.

BIRCH, E.E.
Birch, E.E. Infant interocular acuity differences and binocular vision 25: 571.

BISCHOF, W.F.
Bischof, W.F. and Groner, M. Beyond the displacement limit: an analysis of short-range processes in apparent motion 25: 839.

BLACKBURN, K.
Lewis, T.L., Maurer, D. and Blackburn, K. The development of young infants' ability to detect stimuli in the nasal visual field 25: 943.

BLAKE, R.
Blake, R. and Holopigian, K. Orientation selectivity in cats and humans assessed by masking 25: 1459.
Blake, R., Holopigian, K. and Jauch, M. Another visual illusion involving orientation 25: 1469.

BLAKESLEE, B.
Blakeslee, B., Jacobs, G.H. and McCourt, M.E. Anisotropy in the preferred directions and visual field location of directionally-selective optic nerve fibers in the gray squirrel 25: 615.

BLANKENSTEIN, M.F.
Blankenstein, M.F. and Previc, F.H. Approximate visual axis projection for the rhesus monkey using a funduscope and alignment laser 25: 301.

BONE, R.A.
Bone, R.A., Landrum, J.T. and Tarsis, S.L. Preliminary identification of the human macular pigment 25: 1531.

BOSSOMAIER, T.R.J.
Bossomaier, T.R.J., Snyder, A.W. and Hughes, A. Irregularity and aliasing: solution 25: 145.

BOURASSA, C.M.
Bourassa, C.M., Stelmach, L.B. and Di Lollo, V. Equating visibility of brief decrements: unconfounding duration and luminance 25: 1241.

BOWMAKER, J.K.
Bowmaker, J.K., Jacobs, G.H., Spiegelhalter, D.J. and Mollon, J.D. Two types of trichromatic squirrel monkey share a pigment in the red-green

spectral region 25: 1937.

BOYNTON, R.M.
Kaiser, P.K. and Boynton, R.M. Role of the blue mechanism in wavelength discrimination 25: 523.
Boynton, R.M., Eskew, R.T. Jr. and Olson, C.X. Blue cones contribute to border distinctness 25: 1349.

BRADDICK, O.J.
Baker, C.L. Jr. and Braddick, O.J. Eccentricity-dependent scaling of the limits for short-range apparent motion perception 25: 803.

BRADLEY, A.
Bradley, A. and Freeman, R.D. Temporal sensitivity in amblyopia: an explanation of conflicting reports 25: 39.
Bradley, A., Freeman, R.D. and Applegate, R. Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Bradley, A. and Freeman, R.D. Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.

BREMILLER, R.
Nawrocki, L., BreMiller, R., Streisinger, G. and Kaplan, M. Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.

BREITMEYER, B.G.
Banta, A.R. and Breitmeyer, B.G. Stationary patterns suppress the perception of stroboscopic motion 25: 1501.

BRENNER, E.
Brenner, E., Schelvis, J. and Nuboer, J.F.W. Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.

BRIDGES, C.D.B.
Fong, S.-L., Landers, R.A. and Bridges, C.D.B. Varieties of rhodopsin in frog rod outer segment membranes: analysis by isoelectric focusing 25: 1387.

BRILL, S.
Gwiazda, J., Mohindra, I., Brill, S. and Held, R. Infant astigmatism and meridional amblyopia 25: 1269.

BROWN, P.K.
Bennett, R.R. and Brown, P.K. Properties of the visual pigments of the moth Manduca sexta and the effects of two detergents, digitonin and CHAPS 25: 1771.

BRUCE, C.J.
Goldberg, M.E. and Bruce, C.J. Cerebral cortical activity associated with the orientation of visual attention in the rhesus monkey 25: 471.

BUCK, S.L.
Buck, S.L. Cone-rod interaction over time and space 25: 907.
Buck, S.L. Determinants of the spatial properties of cone-rod interaction 25: 1277.

BUCKINGHAM, T.
Buckingham, T. and Whitaker, D The influence of luminance on displacement thresholds for continuous oscillatory movement 25: 1675.

BURR, D.C.
Burr, D.C., Koss, J. and Morrone, M.C. Local regulation of luminance gain 25: 717.
Anderson, S.J. and Burr, D.C. Spatial and temporal selectivity of the human motion detection system 25: 1147.

CAELLI, T.
Caelli, T. and Moraglia, G. On the detection of Gabor signals and discrimination of Gabor textures 25: 671.

CAMPOCHIARO, P.
Campochiaro, P., Ferkany, J.W. and Coyle, J.T. Excitatory amino acid analogs evoke release of endogenous amino acids and acetyl choline from chick retina in vitro 25: 1375.

CARPENTER, M.A.
Marrocco, R.T., Carpenter, M.A. and Wright, S.E. Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.

CAVANAGH, P.
Cavanagh, P. and Favreau, O.E. Color and luminance share a common motion pathway 25: 1595.

CHAMBERS, D.
Mack, A., Fendrich, R., Chambers, D. and Heuer, F. Perceived position and saccadic eye movements 25: 501.

CHARMAN, W.N.
Charman, W.N. and Walsh, G. The optical phase transfer function of the eye and the perception of spatial phase 25: 619.
Ward, P.A. and Charman, W.N. Effect of pupil size on steady state accommodation 25: 1317.

CIUFFREDA, K.J.
Ciuffreda, K.J. and Rumpf, D. Contrast and accommodation in amblyopia 25: 1445.
COGAN, A.I.
Anstis, S., Giaschi, D. and Cogan, A.I. Adaptation to apparent motion 25: 1051.
COLE, G.R.
Stromeyer, C.F. III, Cole, G.R. and Kronauer, R.E. Second-site adaptation in the red-green chromatic pathways 25: 219.
COLLEWIJN, H.
Erkelens, C.J. and Collewijn, H. Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.
Behrens, F., Collewijn, H. and Grusser, O.-J. Velocity step responses of the human gaze pursuit system. Experiments with sigma-movement 25: 893.
Erkelens, C.J. and Collewijn, H. Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.
COOK, J.E.
Varner, D., Cook, J.E., Schneck, M.E., McDonald, M.A. and Teller, D.Y. Tritan discriminations by 1- and 2-month-old human infants 25: 821.
COWEY, A.
Perry, V.H. and Cowey, A. The ganglion cell and cone distributions in the monkey's retina: implications for central magnification factors 25: 1795.
COYLE, J.T.
Campochiaro, P., Ferkany, J.W. and Coyle, J.T. Excitatory amino acid analogs evoke release of endogenous amino acids and acetyl choline from chick retina in vitro 25: 1375.
CRAWFORD, B.H.
Crawford, B.H. and Palmer, D.A. The scotopic visibility curve and cone intrusion 25: 863.
CREMIEUX, J.
Duysens, J., Orban, G.A., Cremieux, J. and Maes, H. Visual cortical correlates of visible persistence 25: 171.
CRONE, R.A.
Simonsz, H.J., Crone, R.A., van der Meer, J., Merckel-Timmer, C.F. and van Mourik-Noordenbos, A.M. Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.
DAGNELIE, G.
Spekreijse, H., Dagnelie, G., Maier, J. and Regan, D. Flicker and movement constituents of the pattern reversal response 25: 1297.
DALY, S.J.
Perlman, I., Normann, R.A., Itzhaki, A. and Daly, S.J. Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Daly, S.J. and Normann, R.A. Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.
DANNEMILLER, J.L.
Dannemiller, J.L. The early phase of dark adaptation in human infants 25: 207.
DAWIS, S.
Dawis, S., Hofmann, H. and Niemeyer, G. The electroretinogram, standing potential, and light peak of the perfused cat eye during acid-base changes 25: 1163.
DERRINGTON, A.M.
Badcock, D.R. and Derrington, A.M. Detecting the displacement of periodic patterns 25: 1253.
Derrington, A.M. and Badcock, D.R. Separate detectors for simple and complex grating patterns 25: 1869.
Derrington, A.M. and Badcock, D.R. The low level motion system has both chromatic and luminance inputs 25: 1879.
Derrington, A.M. Apparent motion from luminance change: sequence discriminators see it too 25: 2003.
DESIMONE, R.
Desimone, R., Schein, S.J., Moran, J. and Ungerleider, L.G. Contour, color and shape analysis beyond the striate cortex 25: 441.
DI LOLLO, V.
Bourassa, C.M., Stelmach, L.B. and Di Lollo, V. Equating visibility of brief decrements: unconfounding duration and luminance 25: 1241.
DICKINSON, C.M.
Dickinson, C.M. and Abadi, R.V. The influence of nystagmoid oscillation on contrast sensitivity in normal observers 25: 1089.

DISTELMAIER, H.
Distelmaier, H. and Doerfel, G. Apparent slant of moving targets on T.V. screens 25: 993.
DOERFEL, G.
Distelmaier, H. and Doerfel, G. Apparent slant of moving targets on T.V. screens 25: 993.
DUYSENS, J.
Duysens, J., Orban, G.A., Cremieux, J. and Maes, H. Visual cortical correlates of visible persistence 25: 171.
EGAN, M.
Stone, J., Egan, M. and Rapaport, D.H. The site of commencement of retinal maturation in the rabbit 25: 309.
EGGERMONT, J.J.
Van Opstal, A.J., Van Gisbergen, J.A.M. and Eggermont, J.J. Reconstruction of neural control signals for saccades based on an inverse method 25: 789.
Ottes, F.P., Van Gisbergen, J.A.M. and Eggermont, J.J. Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.
EIZENMAN, M.
Eizenman, M., Hallett, P.E. and Frecker, R.C. Power spectra for ocular drift and tremor 25: 1635.
EJIMA, Y.
Takahashi, S. and Ejima, Y. Effects on grating detection of vertically displaced peripheral gratings 25: 129.
Akita, M., Takahashi, S. and Ejima, Y. Red-green opponency in the detection and the perceptual hue cancellation 25: 1129.
Ejima, Y. and Takahashi, S. Apparent contrast of a sinusoidal grating in the simultaneous presence of peripheral gratings 25: 1223.
Ejima, Y. and Takahashi, S. Effect of localized grating adaptation as a function of separation along the length axis between test and adaptation areas 25: 1701.
Ejima, Y. and Takahashi, S. Interaction between short- and longer-wavelength cones in hue cancellation codes: nonlinearities of hue cancellation as a function of stimulus intensity 25: 1911.
ENOCH, J.M.
Essock, E.A., Lehmkuhle, S., Frascella, J. and Enoch, J.M. Temporal modulation of the background affects the sensitization response of X- and Y-cells in the dLGN of cat 25: 1007.
ENRIGHT, J.T.
Enright, J.T. On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.
ERKELENS, C.J.
Erkelens, C.J. and Collewijn, H. Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.
Erkelens, C.J. and Collewijn, H. Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.
ESKEW, R.T. JR.
Boynton, R.M., Eskew, R.T. Jr. and Olson, C.X. Blue cones contribute to border distinctness 25: 1349.
ESSOCK, E.A.
Essock, E.A., Lehmkuhle, S., Frascella, J. and Enoch, J.M. Temporal modulation of the background affects the sensitization response of X- and Y-cells in the dLGN of cat 25: 1007.
FATT, P.
Fatt, P. Relation of the different forms of frog rhodopsin observed by isoelectric focusing and electrophoresis to a functional model of rhodopsin clusters in the disc membrane 25: 1865.
FAVREAU, O.E.
Cavanagh, P. and Favreau, O.E. Color and luminance share a common motion pathway 25: 1595.
FENDRICH, R.
Mack, A., Fendrich, R., Chambers, D. and Heuer, F. Perceived position and saccadic eye movements 25: 501.
FERKANY, J.W.
Campochiaro, P., Ferkany, J.W. and Coyle, J.T. Excitatory amino acid analogs evoke release of endogenous amino acids and acetyl choline from chick retina in vitro 25: 1375.
FERNALD, R.D.
Fernald, R.D. and Wright, S.E. Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Optics 25: 155.
Fernald, R.D. and Wright, S.E. Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Accommodation 25: 163.

FERRERA, V.P.
Ferrera, V.P. and Wilson, H.R. Spatial frequency tuning of transient non-oriented units 25: 67.
FINLEY, G.
Finley, G. A high-speed point plotter for vision research 25: 1093.
FITZKE, F.W.
Fitzke, F.W., Holden, A.L. and Sheen, F.H. A Maxwellian-view optometer suitable for electrophysiological and psychophysical research 25: 821.
FLANDERS, M.
Flanders, M. Visually guided head movement in the African chameleon 25: 935.
FOLEY, J.M.
McCourt, M.E. and Foley, J.M. Spatial frequency interference on grating-induction 25: 1507.
FONG, S.-L.
Fong, S.-L., Landers, R.A. and Bridges, C.D.B. Varieties of rhodopsin in frog rod outer segment membranes: analysis by isoelectric focusing 25: 1387.
FRASCELLA, J.
Essock, E.A., Lehmkuhle, S., Frascella, J. and Enoch, J.M. Temporal modulation of the background affects the sensitization response of X and Y-cells in the dLGN of cat 25: 1007.
FRECKER, R.C.
Eizenman, M., Hallett, P.E. and Frecker, R.C. Power spectra for ocular drift and tremor 25: 1635.
FREEMAN, R.D.
Bradley, A. and Freeman, R.D. Temporal sensitivity in amblyopia: an explanation of conflicting reports 25: 39.
Bradley, A., Freeman, R.D. and Applegate, R. Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Bradley, A. and Freeman, R.D. Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.
FRIEDMAN, L.J.
Friedman, L.J., Thornton, J.E. and Pugh, E.N. Jr. Cone antagonism along visual pathways of red/green dichromats 25: 1647.
FRUMKES, T.E.
Nygaard, R.W. and Frumkes, T.E. Frequency dependence in scotopic flicker sensitivity 25: 115.
FUJII, K.
Toyama, K., Komatsu, Y., Kasai, H., Fujii, K. and Umetani, K. Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
FUKUDA, Y.
Fukuda, Y., Hsiao, C.-F. and Watanabe, M. Morphological correlates of Y, X and W type ganglion cells in the cat's retina 25: 319.
Wakakuwa, K., Washida, A. and Fukuda, Y. Distribution and soma size of ganglion cells in the retina of the eastern chipmunk (Tamias sibiricus asiaticus) 25: 877.
FULLER, J.H.
Fuller, J.H. Eye and head movements in the pigmented rat 25: 1121.
FUWA, M.
Yamada, M., Shigematsu, Y. and Fuwa, M. Latency of horizontal cell response in the carp retina 25: 767.
GEIGER, H.
Perizonius, E., Schill, W., Geiger, H. and Rohler, R. Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.
GEORGESON, J.M.
Georgeson, M.A. and Georgeson, J.M. On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.
GEORGESON, M.A.
Georgeson, M.A. and Turner, R.S.E. Afterimages of sinusoidal, square-wave and compound gratings 25: 1709.
Georgeson, M.A. Apparent spatial frequency and contrast of gratings: separate effects of contrast and duration 25: 1721.
Georgeson, M.A. and Georgeson, J.M. On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.
GIASCHI, D.
Anstis, S., Giaschi, D. and Cogan, A.I. Adaptation to apparent motion 25: 1051.
GILBERT, C.D.

Gilbert, C.D. and Wiesel, T.N. Intrinsic connectivity and receptive field properties in visual cortex 25: 365.

GILCHRIST, J.
Gilchrist, J. and McIver, C. Fechner's paradox in binocular contrast sensitivity 25: 609.

GILMARTIN, B.
Gilmartin, B. and Hogan, R.E. The magnitude of longitudinal chromatic aberration of the human eye between 458 and 633 nm 25: 1747.

GOLDBERG, M.E.
Goldberg, M.E. and Bruce, C.J. Cerebral cortical activity associated with the orientation of visual attention in the rhesus monkey 25: 471.

GOLOMB, B.
Golomb, B., Andersen, R.A., Nakayama, K., MacLeod, D.I.A. and Wong, A. Visual thresholds for shearing motion in monkey and man 25: 813.

GREENLEE, M.W.
Magnussen, S. and Greenlee, M.W. Marathon adaptation to spatial contrast: saturation in sight 25: 1409.

GRINBERG, D.L.
Grinberg, D.L. and Williams, D.R. Stereopsis with chromatic signals from the blue-sensitive mechanism 25: 531.

GRONER, M.
Bischof, W.F. and Groner, M. Beyond the displacement limit: an analysis of short-range processes in apparent motion 25: 839.

GRUSSER, O.-J.
Behrens, F., Collewijn, H. and Grusser, O.-J. Velocity step responses of the human gaze pursuit system. Experiments with sigma-movement 25: 893.

GUZMAN, O.
Guzman, O. and Steinbach, M.J. Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.

GWIAZDA, J.
Gwiazda, J., Mohindra, I., Brill, S. and Held, R. Infant astigmatism and meridional amblyopia 25: 1269.

GYOBA, J.
Sakurai, K. and Gyoba, J. Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.

HALLETT, P.E.
Remtulla, S. and Hallett, P.E. A schematic eye for the mouse, and comparisons with the rat 25: 21.
Eizenman, M., Hallett, P.E. and Frecker, R.C. Power spectra for ocular drift and tremor 25: 1635.

HALLORAN, T.
Beck, J. and Halloran, T. Effects of spatial separation and retinal eccentricity on two-dot vernier acuity 25: 1105.

HAMASAKI, D.I.
Hamasaki, D.I. and Maguire, G.W. Physiological development of the kitten's retina: an ERG study 25: 1537.

HANSEN, R.M.
Hansen, R.M. and Skavenski, A.A. Accuracy of spatial localizations near the time of saccadic eye movements 25: 1077.

HARRINGTON, T.L.
Sakata, H., Shibutani, H., Kawano, K. and Harrington, T.L. Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.

VAN HATEREN, J.H.
van Hateren, J.H. The Stiles-Crawford effect in the eye of the blowfly, Calliphora erythrocephala 25: 1305.

HAWRYSHYN, C.W.
Hawryshyn, C.W. and Beauchamp, R. Ultraviolet photosensitivity in goldfish: an independent U.V. retinal mechanism 25: 11.

HELD, R.
Gwiazda, J., Mohindra, I., Brill, S. and Held, R. Infant astigmatism and meridional amblyopia 25: 1269.

HENN, V.
Hepp, K. and Henn, V. Iso-frequency curves of oculomotor neurons in the rhesus monkey 25: 493.

HEPP, K.
Hepp, K. and Henn, V. Iso-frequency curves of oculomotor neurons in the rhesus monkey 25: 493.

HESS, R.F.
Hess, R.F. and Plant, G.T. Temporal frequency discrimination in human vision: evidence for an additional mechanism in the low spatial and high temporal frequency region 25: 1493.

Hess, R.F. and Pointer, J.S. Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.

HEUER, F.
Mack, A., Fendrich, R., Chambers, D. and Heuer, F. Perceived position and saccadic eye movements 25: 501.

HEYNEN, H.
Heynen, H. and van Norren, D. Origin of the electroretinogram in the intact macaque eye - I. Principal component analysis 25: 697.
Heynen, H. and van Norren, D. Origin of the electroretinogram in the intact macaque eye - II. Current source-density analysis 25: 709.
Heynen, H., Wachtmeister, L. and van Norren, D. Origin of the oscillatory potentials in the primate retina 25: 1365.

HILDEBRAND, T.
Sivak, J.G., Hildebrand, T. and Lebert, C. Magnitude and rate of accommodation in diving and nondiving birds 25: 925.

HINE, T.
Hine, T. The binocular contribution to monocular optokinetic nystagmus and after nystagmus asymmetries in humans 25: 589.

HODOS, W.
Hodos, W., Bessette, B.B., Macko, K.A. and Weiss, S.R.B. Normative data for pigeon vision 25: 1525.
Macko, K.A. and Hodos, W. Near points of accommodation in pigeons 25: 1529.

HOFMANN, H.
Dawis, S., Hofmann, H. and Niemeyer, G. The electroretinogram, standing potential, and light peak of the perfused cat eye during acid-base changes 25: 1163.

HOGAN, R.E.
Gilmartin, B. and Hogan, R.E. The magnitude of longitudinal chromatic aberration of the human eye between 458 and 633 nm 25: 1747.

HOLDEFER, R.N.
Smith, D.C. and Holdefer, R.N. Binocular competitive interactions and recovery of visual acuity in long-term monocularly deprived cats 25: 1783.

HOLDEN, A.L.
Fitzke, F.W., Holden, A.L. and Sheen, F.H. A Maxwellian-view optometer suitable for electrophysiological and psychophysical research 25: 871.

HOLOPIGIAN, K.
Blake, R. and Holopigian, K. Orientation selectivity in cats and humans assessed by masking 25: 1459.
Blake, R., Holopigian, K. and Jauch, M. Another visual illusion involving orientation 25: 1469.

HOSOKAWA, Y.
Hosokawa, Y. and Naka, K.-i. Spontaneous membrane fluctuation in catfish type-N cells 25: 539.

HOUSTON, J.S.
Nagy, A.L., Purl, K.F. and Houston, J.S. Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.

HOWLAND, H.C.
Howland, H.C. and Sayles, N. Photokeratometric and photorefractive measurements of astigmatism in infants and young children 25: 73.

HSIAO, C.-F.
Fukuda, Y., Hsiao, C.-F. and Watanabe, M. Morphological correlates of Y, X and W type ganglion cells in the cat's retina 25: 319.

HUGHES, A.
Bossomaier, T.R.J., Snyder, A.W. and Hughes, A. Irregularity and aliasing: solution 25: 145.

HUMANSKI, R.A.
Humanski, R.A. and Shevell, S.K. Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.

IKEDA, H.
Priest, T.D., Robbins, J. and Ikeda, H. The action of inhibitory neurotransmitters, gamma-aminobutyric acid and glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.

INGLING, C.R. JR.
Ingling, C.R. Jr. and Martinez-Uriegas, E. The spatiotemporal properties of the r-g X-cell channel 25: 33.

ITZHAKI, A.
Perlman, I., Normann, R.A., Itzhaki, A. and Daly, S.J. Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.

IWAI, E.

Iwai, E. Neuropsychological basis of pattern vision in macaque monkeys 25: 425.

JACOBS, G.H.
Jacobs, G.H. and Neitz, J. Color vision in squirrel monkeys: sex-related differences suggest the mode of inheritance 25: 141.
Blakeslee, B., Jacobs, G.H. and McCourt, M.E. Anisotropy in the preferred directions and visual field location of directionally-selective optic nerve fibers in the gray squirrel 25: 615.
Bowmaker, J.K., Jacobs, G.H., Spiegelhalter, D.J. and Mollon, J.D. Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.

JAGER, J.
Neumeyer, C. and Jager, J. Spectral sensitivity of the freshwater turtle Pseudemys scripta elegans: evidence for the filter-effect of colored oil droplets 25: 833.

JAGGER, W.S.
Jagger, W.S. Visibility of photoreceptor in the intact living cane toad eye 25: 749.

JAMAR, J.H.T.
Jamar, J.H.T. and Koenderink, J.J. Contrast detection and detection of contrast modulation for noise gratings 25: 511.

JAUCH, M.
Blake, R., Holopigian, K. and Jauch, M. Another visual illusion involving orientation 25: 1169.

JEFFREYS D.A.
Musselwhite, M.J. and Jeffreys D.A. The influence of spatial frequency on the reaction times and evoked potentials recorded to grating pattern stimuli 25: 1545.

JOHNSON, R.M.
Wilson, A.E. and Johnson, R.M. Transposition in backward masking. The case of the travelling gap 25: 283.

JOHNSTON, A.
Johnston, A. and Wright, M.J. Lower thresholds of motion for gratings as a function of eccentricity and contrast 25: 179.
Wright, M.J. and Johnston, A. The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Wright, M.J. and Johnston, A. Invariant tuning of motion aftereffect 25: 1947.

JUDGE, S.J.
Judge, S.J. Can current models of accommodation and vergence control account for the discrepancies between AC/A measurements by the fixation disparity and phoria methods? 25: 1999.

KAISER, P.K.
Kaiser, P.K. and Boynton, R.M. Role of the blue mechanism in wavelength discrimination 25: 523.
Kaiser, P.K. and Ayama, M. Just noticeable inhomogeneity criterion for determining wavelength discrimination functions 25: 1327.
Ayama, M., Kaiser, P.K. and Nakatsue, T. Additivity of red chromatic valence 25: 1885.

KAJI, S.
Kaji, S. and Kawabata, N. Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.

KAPLAN, M.
Nawrocki, L., BreMiller, R., Streisinger, G. and Kaplan, M. Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.

KAPOULA, Z.
Kapoula, Z. Evidence for a range effect in the saccadic system 25: 1155.

KASAI, H.
Toyama, K., Komatsu, Y., Kasai, H., Fujii, K. and Umetani, K. Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.

KATO, H.
Kato, H., Kojima, H., Miyakawa, H. and Ogawa, T. An in vitro preparation and study of cells in cat visual cortex 25: 349.

KAWABATA, N.
Kaji, S. and Kawabata, N. Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.

KAWANO, K.
Sakata, H., Shibutani, H., Kawano, K. and Harrington, T.L. Neural mechanisms of space vision in the parietal association cortex of the

monkey 25: 453.
KAYAMA, Y.
Kayama, Y. Ascending, descending a d local control of neuronal activity in the rat lateral geniculate nucleus 25: 339.
KELLY, D.H.
Kelly, D.H. Receptive-field-like functions inferred from large-area psychophysical measurements 25: 1895.
KEMP, J.A.
Sillito, A.M., Salt, T.E., and Kemp, J.A. Modulatory and inhibitory processes in the visual cortex 25: 375.
KENYON, R.V.
Kenyon, R.V. A soft contact lens search coil for measuring eye movements 25: 1629.
KITO, Y.
Ohtsu, K. and Kito, Y. A photoproduct with 13-cis retinal generated by irradiation with violet light in the octopus retina 25: 775.
KLEIN, S.A.
Steinman, S.B., Levi, D.M., Klein, S.A. and Manny, R.E. Selectivity of the evoked potential for vernier offset 25: 951.
Levi, D.M., Klein, S.A. and Aitsebaomo, A.P. Vernier acuity, crowding and cortical magnification 25: 963.
Levi, D.M. and Klein, S.A. Vernier acuity, crowding and ambiyopia 25: 979.
Manny, R.E. and Klein, S.A. A three alternative tracking paradigm to measure vernier acuity of older infants 25: 1245.
Barbeito, R., Levi, D.M., Klein, S.A., Loshin, D. and Ono, H. Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.
KOCHEL, R.L.
Lloyd, T., Kochel, R.L. and Weinstein, J.M. The effect of sympathectomy upon iris tyrosinase activity 25: 213.
KOENDERINK, J.J.
Jamar, J.H.T. and Koenderink, J.J. Contrast detection and detection of contrast modulation for noise gratings 25: 511.
KOJIMA, H.
Kato, H., Kojima, H., Miyakawa, H. and Ogawa, T. An in vitro preparation and study of cells in cat visual cortex 25: 349.
KOLB, H.
Kolb, H. and Wang, H.H. The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
KOMATSU, Y.
Toyama, K., Komatsu, Y., Kasai, H., Fujii, K. and Umetani, K. Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
KRONAUER, R.E.
Stromeyer, C.F. III, Cole, G.R. and Kronauer, R.E. Second-site adaptation in the red-green chromatic pathways 25: 219.
KUMMELL, J.G.
Lasker, A.G. and Kummell, J.G. A light-weight, low-cost optokinetic drum 25: 1001.
KURTZ, D.
Snodderly, D.M. and Kurtz, D. Eye position during fixation tasks: comparison of macaque and human 25: 83.
LAM, D.M.-K.
Ayoub, G.S. and Lam, D.M.-K. The content and release of endogenou GABA in isolated horizontal cells of the goldfish retina 25: 1187.
Lam, D.M.-K., Li, H.-B., Su, Y.-Y.T and Watt, C.B. The signature hypothesis: co-localizations of neuroactive substances as anatomical probes for circuitry analyses 25: 1353.
LAND, M.F.
Land, M.F. and Snyder, A.W. Cone mosaic observed directly through natural pupil of live vertebrate 25: 1519.
LANDERS, R.A.
Fong, S.-L., Landers, R.A. and Bridges, C.D.B. Varieties of rhodopsin in frog rod outer segment membranes: analysis by isoelectric focusing 25: 1387.
LANDRUM, J.T.
Bone, R.A., Landrum, J.T. and Tarsis, S.L. Preliminary identification of the human macular pigment 25: 1531.
LASKER, A.G.
Meyer, C.H., Lasker, A.G. and Robinson, D.A. The upper limit of human smooth pursuit velocity 25: 561.

Lasker, A.G. and Kummell, J.G. A light-weight, low-cost optokinetic drum 25: 1001.

LEBERT, C.
Sivak, J.G., Hildebrand, T. and Lebert, C. Magnitude and rate of accommodation in diving and nondiving birds 25: 925.

LEGGE, G.E.
Legge, G.E., Pelli, D.G., Rubin, G.S. and Schleske, M.M. Psychophysics of reading - I. Normal vision 25: 239.
Legge, G.E., Rubin, G.S., Pelli, D.G. and Schleske, M.M. Psychophysics of reading - II. Low vision 25: 253.

LEGUIRE, L.E.
Leguire, L.E. and Rogers, G.L. Pattern electroretinogram: use of noncorneal skin electrodes 25: 867.

LEHMKUHLE, S.
Essock, E.A., Lehmkuhle, S., Frascella, J. and Enoch, J.M. Temporal modulation of the background affects the sensitization response of X and Y-cells in the dLGN of cat 25: 1007.

LEIBOWITZ, H.W.
Raymond, J.E. and Leibowitz, H.W. Viewing distance and the sustained detection of high spatial frequency gratings 25: 1655.

LEONARD, C.M.
Rolls, E.T., Baylis, G.C. and Leonard, C.M. Role of low and high spatial frequencies in the face-selective responses of neurons in the cortex in the superior temporal sulcus in the monkey 25: 1021.

LEVI, D.M.
Steinman, S.B., Levi, D.M., Klein, S.A and Manny, R.E. Selectivity of the evoked potential for vernier offset 25: 951.
Levi, D.M., Klein, S.A. and Aitsebaomo, A.P. Vernier acuity, crowding and cortical magnification 25: 963.
Levi, D.M. and Klein, S.A. Vernier acuity, crowding and amblyopia 25: 979.
Barbeito, R., Levi, D.M., Klein, S.A., Loshin, D. and Ono, H. Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.

LEWIS, T.L.
Lewis, T.L., Maurer, D. and Blackburn, K. The development of young infants' ability to detect stimuli in the nasal visual field 25: 943.

LI, C.Y.
Nothdurft, H.C. and Li, C.Y. Texture discrimination: representation of orientation and luminance differences in cells of the cat striate cortex 25: 99.

LI, H.-B.
Lam, D.M.-K., Li, H.-B., Su, Y.-Y.T and Watt, C.B. The signature hypothesis: co-localizations of neuroactive substances as anatomical probes for circuitry analyses 25: 1353.

LLOYD, T.
Lloyd, T., Kochel, R.L. and Weinstein, J.M. The effect of sympathectomy upon iris tyrosinase activity 25: 213.

LONG, G.M.
Long, G.M. Visual persistence from brief letters and pictures 25: 887.

LOSHIN, D.
Barbeito, R., Levi, D.M., Klein, S.A., Loshin, D. and Ono, H. Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.

LOVASIK, J.V.
Lovasik, J.V., Spafford, M. and Szymkiw, M. Modification of pattern reversal VERs by ocular accommodation 25: 599.

MACLEOD, D.I.A.
Golomb, B., Andersen, R.A., Nakayama, K., MacLeod, D.I.A. and Wong, A. Visual thresholds for shearing motion in monkey and man 25: 813.

MACK, A.
Mack, A., Fendrich, R., Chambers, D. and Heuer, F. Perceived position and saccadic eye movements 25: 501.

MACKO, K.A.
Hodos, W., Bessette, B.B., Macko, K.A. and Weiss, S.R.B. Normative data for pigeon vision 25: 1525.
Macko, K.A. and Hodos, W. Near points of accommodation in pigeons 25: 1529.

MAES, H.
Duysens, J., Orban, G.A., Cremieux, J. and Maes, H. Visual cortical correlates of visible persistence 25: 171.

MAGNUSSEN, S.
Magnussen, S. and Greenlee, M.W. Marathon adaptation to spatial contrast:

saturation in sight 25: 1409.
MAGUIRE, G.W.
Hamasaki, D.I. and Maquire, G.W. Physiological development of the kitten's retina: an ERG study 25: 1537.
MAIER, J.
Spekreijse, H., Dagnelie, G., Maier, J. and Regan, D. Flicker and movement constituents of the pattern reversal response 25: 1297.
MAKINO-TASAKA, M.
Suzuki, T., Makino-Tasaka, M. and Miyata, S. Competition between retinal and 3-dehydroretinal for opsin in the regeneration of visual pigment 25: 149.
MANDL, G.
Mandl, G. Responses of visual cells in cat superior colliculus to relative pattern movement 25: 267.
MANNY, R.E.
Steinman, S.B., Levi, D.M., Klein, S.A. and Manny, R.E. Selectivity of the evoked potential for vernier offset 25: 951.
Manny, R.E. and Klein, S.A. A three alternative tracking paradigm to measure vernier acuity of older infants 25: 1245.
MARROCCO, R.T.
Marrocco, R.T., Carpenter, M.A. and Wright, S.E. Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.
MARTINEZ-URIEGAS, E.
Ingling, C.R. Jr. and Martinez-Uriegas, E. The spatiotemporal properties of the r-g X-cell channel 25: 33.
MASTRONARDE, D.N.
Mastronarde, D.N. Two types of cat retinal ganglion cells that are suppressed by contrast 25: 1195.
MATHER, G.
Mather, G. Apparent motion from luminance change: further comments on candidate mechanisms 25: 2005.
MATTHEWS, G.
Matthews, G. Spatial spread of light-induced sensitization in rod photoreceptors exposed to low external calcium 25: 733.
MATTIELLO, M.L.F.
Biondini, A.R. and de Mattiello, M.L.F. Suprathreshold contrast perception at different luminance levels 25: 1.
MAURER, D.
Lewis, T.L., Maurer, D. and Blackburn, K. The development of young infants' ability to detect stimuli in the nasal visual field 25: 943.
MAXIMOV, V.V.
Maximov, V.V., Orlov, O.Y. and Reuter, T. Chromatic properties of the retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.
McCOURT, M.E.
Blakeslee, B., Jacobs, G.H. and McCourt, M.E. Anisotropy in the preferred directions and visual field location of directionally-selective optic nerve fibers in the gray squirrel 25: 615.
McCourt, M.E. and Foley, J.M. Spatial frequency interference on grating-induction 25: 1507.
McDONALD, M.A.
Varner, D., Cook, J.E., Schneck, M.E., McDonald, M.A. and Teller, D.Y. Tritan discriminations by 1- and 2-month-old human infants 25: 821.
McFADDEN, S.A.
McFadden, S.A. and Reymond, L. A further look at the binocular visual field of the pigeon (Columba livia) 25: 1741.
McIVER, C.
Gilchrist, J. and McIver, C. Fechner's paradox in binocular contrast sensitivity 25: 609.
McKEE, S.P.
Welch, L. and McKee, S.P. Colliding targets: evidence for spatial localization within the motion system 25: 1901.
VAN DER MEER, J.
Simonsz, H.J., Crone, R.A., van der Meer, J., Merckel-Timmer, C.F. and van Mourik-Noordenbos, A.M. Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.
MEER, P.
Meer, P. and Zeevi, Y.Y. Context dependent processing in spatial hyperacuity 25: 1989.
MERCKEL-TIMMER, C.F.
Simonsz, H.J., Crone, R.A., van der Meer, J., Merckel-Timmer, C.F. and

van Mourik Noordenbos, A.M. Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.

MEYER, C.H.
Meyer, C.H., Lasker, A.G. and Robinson, D.A. The upper limit of human smooth pursuit velocity 25: 561.

MICHAEL, C.R.
Michael, C.R. Laminar segregation of color cells in the monkey's striate cortex 25: 415.

MITSUBOSHI, M.
Mitsuboshi, M. Two temporal phases, brightness-dependent and -independent, in the chromatic response elicited by a briefly-flashed monochromatic light: a preliminary report 25: 1137.

MIYAKAWA, H.
Kato, H., Kojima, H., Miyakawa, H. and Ogawa, T. An in vitro preparation and study of cells in cat visual cortex 25: 349.

MIYATA, S.
Suzuki, T., Makino-Tasaka, M. and Miyata, S. Competition between retinal and 3-dehydroretinal for opsin in the regeneration of visual pigment 25: 149.

MOHINDRA, I.
Gwiazda, J., Mohindra, I., Brill, S. and Held, R. Infant astigmatism and meridional amblyopia 25: 1269.

MOLLON, J.D.
Bowmaker, J.K., Jacobs, G.H., Spiegelhalter, D.J. and Mollon, J.D. Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.

MORAGLIA, G.
Caelli, T. and Moraglia, G. On the detection of Gabor signals and discrimination of Gabor textures 25: 671.

MORAN, J.
Desimone, R., Schein, S.J., Moran, J. and Ungerleider, L.G. Contour, color and shape analysis beyond the striate cortex 25: 441.

MORGAN, M.J.
Morgan, M.J. and Aiba, T.S. Positional acuity with chromatic stimuli 25: 689.
Watt, R.J. and Morgan, M.J. A theory of the primitive spatial code in human vision 25: 1661.

MORI, T.
Mori, T. Visual conspicuity of a moving dot, horizontal line segment or vertical line segment 25: 1083.

MORRONE, M.C.
Burr, D.C., Ross, J. and Morrone, M.C. Local regulation of luminance gain 25: 717.

MOTTER, B.C.
Poggio, G.F., Motter, B.C., Squatrito, S. and Trotter, Y. Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.

MOURIK-NOORDENBOS, A.M.
Simonsz, H.J., Crone, R.A., van der Meer, J., Merckel-Timmer, C.F. and van Mourik-Noordenbos, A.M. Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.

MULLEN, K.T.
Mullen, K.T. and Baker, C.L. Jr. A motion aftereffect from an isoluminant stimulus 25: 685.

MUSSELWHITE, M.J.
Musselwhite, M.J. and Jeffreys D.A. The influence of spatial frequency on the reaction times and evoked potentials recorded to grating pattern stimuli 25: 1545.

NAGY, A.L.
Nagy, A.L., Purl, K.F. and Houston, J.S. Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.

NAKA, K.-I.
Hosokawa, Y. and Naka, K.-i. Spontaneous membrane fluctuation in catfish type-N cells 25: 539.

NAKATSUE, T.
Ayama, M., Kaiser, P.K. and Nakatsue, T. Additivity of red chromatic valence 25: 1885.

NAKAYAMA, K.
Nakayama, K. Biological image motion processing: a review 25: 625.
Golomb, B., Andersen, R.A., Nakayama, K., MacLeod, D.I.A. and Wong, A. Visual thresholds for shearing motion in monkey and man 25: 813.

NAWROCKI, L.
Nawrocki, L., BreMiller, R., Streisinger, G. and Kaplan, M. Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.
NEITZ, J.
Jacobs, G.H. and Neitz, J. Color vision in squirrel monkeys: sex-related differences suggest the mode of inheritance 25: 141.
NEUMEYER, C.
Neumeyer, C. and Jager, J. Spectral sensitivity of the freshwater turtle Pseudemys scripta elegans: evidence for the filter-effect of colored oil droplets 25: 833.
NIEMEYER, G.
Dawis, S., Hofmann, H. and Niemeyer, G. The electroretinogram, standing potential, and light peak of the perfused cat eye during acid-base changes 25: 1163.
NORCIA, A.M.
Norcia, A.M. and Tyler, C.W. Spatial frequency sweep VEP: visual acuity during the first year of life 25: 1399.
Norcia, A.M., Sutter, E.E. and Tyler, C.W. Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.
NORMANN, R.A.
Perlman, I., Normann, R.A., Itzhaki, A. and Daly, S.J. Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Daly, S.J. and Normann, R.A. Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.
NORREN, D.
Heynen, H. and van Norren, D. Origin of the electroretinogram in the intact macaque eye - I. Principal component analysis 25: 697.
Heynen, H. and van Norren, D. Origin of the electroretinogram in the intact macaque eye - II. Current source-density analysis 25: 709.
Heynen, H., Wachtmeister, L. and van Norren, D. Origin of the oscillatory potentials in the primate retina 25: 1365.
NOTHDURFT, H.C.
Nothdurft, H.C. and Li, C.Y. Texture discrimination: representation of orientation and luminance differences in cells of the cat striate cortex 25: 99.
Nothdurft, H.C. Orientation sensitivity and texture segmentation in patterns with different line orientation 25: 551.
Nothdurft, H.C. Sensitivity for structure gradient in texture discrimination tasks 25: 1957.
NUBOER, J.F.W.
Brenner, E., Schelvis, J. and Nuboer, J.F.W. Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.
NYGAARD, R.W.
Nygaard, R.W. and Frumkes, T.E. Frequency dependence in scotopic flicker sensitivity 25: 115.
OGAWA, T.
Ogawa, T., Takimori, T. and Takahashi, Y. Projection of morphologically identified superior colliculus neurons to the lateral posterior nucleus in the cat 25: 329.
Kato, H., Kojima, H., Miyakawa, H. and Ogawa, T. An in vitro preparation and study of cells in cat visual cortex 25: 349.
OHTSU, K.
Ohtsu, K. and Kito, Y. A photoproduct with 13-cis retinal generated by irradiation with violet light in the octopus retina 25: 775.
OLSON, C.X.
Boynton, R.M., Eskew, R.T. Jr. and Olson, C.X. Blue cones contribute to border distinctness 25: 1349.
ONO, H.
Ono, H. and Barbeito, R. Utrocular discrimination is not sufficient for utrocular identification 25: 289.
Barbeito, R., Levi, D.M., Klein, S.A., Loshin, D. and Ono, H. Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.
ORBAN, G.A.
Duysens, J., Orban, G.A., Cremieux, J. and Maes, H. Visual cortical correlates of visible persistence 25: 171.
Vogels, R. and Orban, G.A. The effect of practice on the oblique effect in line orientation judgments 25: 1679.
ORLOV, O.Y.
Maximov, V.V., Orlov, O.Y. and Reuter, T. Chromatic properties of the

retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.

OTTES, F.P.
Ottes, F.P., Van Gisbergen, J.A.M. and Eggermont, J.J. Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.

PALMER, D.A.
Crawford, B.H. and Palmer, D.A. The scotopic visibility curve and cone intrusion 25: 863.

PELLI, D.G.
Legge, G.E., Pelli, D.G., Rubin, G.S. and Schleske, M.M. Psychophysics of reading - I. Normal vision 25: 239.
Legge, G.E., Rubin, G.S., Pelli, D.G. and Schleske, M.M. Psychophysics of reading - II. Low vision 25: 253.

PERIZONIUS, E.
Perizonius, E., Schill, W., Geiger, H. and Rohler, R. Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.

PERLMAN, I.
Perlman, I., Normann, R.A., Itzhaki, A. and Daly, S.J. Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.

PERRY, V.H.
Perry, V.H. and Cowey, A. The ganglion cell and cone distributions in the monkey's retina: implications for central magnification factors 25: 1795.

PIANTANIDA, T.P.
Piantanida, T.P. Temporal modulation sensitivity of the blue mechanism: measurements made with extraretinal chromatic adaptation 25: 1439.

PLANT, G.T.
Hess, R.F. and Plant, G.T. Temporal frequency discrimination in human vision: evidence for an additional mechanism in the low spatial and high temporal frequency region 25: 1493.

PODUGOLNIKOVA, T.A.
Podugolnikova, T.A. Morphology of bipolar cells and their participation in spatial organization of the inner plexiform layer of jack mackerel retina 25: 1843.
Podugolnikova, T.A. Inner plexiform layer of jack mackerel retina: participation of amacrine and ganglion cells in its spatial organization 25: 1853.

POGGIO, G.F.
Poggio, G.F., Motter, B.C., Squatrito, S. and Trotter, Y. Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.

POINTER, J.S.
Hess, R.F. and Pointer, J.S. Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.

POKORNY, J.
Ueno, T., Pokorny, J. and Smith, V.C. Reaction times to chromatic stimuli 25: 1623.

POLA, J.
Pola, J. and Wyatt, H.J. Active and passive smooth eye movements: effects of stimulus size and location 25: 1063.

PREVIC, F.H.
Blankenstein, M.F. and Previc, F.H. Approximate visual axis projection for the rhesus monkey using a funduscope and alignment laser 25: 301.

PRIEST, T.D.
Priest, T.D., Robbins, J. and Ikeda, H. The action of inhibitory neurotransmitters, gamma-aminobutyric acid and glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.

PUGH, E.N. JR.
Friedman, L.J., Thornton, J.E. and Pugh, E.N. Jr. Cone antagonism along visual pathways of red/green dichromats 25: 1647.

PURL, K.F.
Nagy, A.L., Purl, K.F. and Houston, J.S. Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.

RANDO, R.R.
Bernstein, P.S. and Rando, R.R. The specific inhibition of 11-cis-retinyl palmitate formation in the frog eye by diaminophenoxypentane, an inhibitor of rhodopsin regeneration 25: 741.

RAPAPORT, D.H.
Stone, J., Egan, M. and Rapaport, D.H. The site of commencement of

retinal maturation in the rabbit 25: 309.

RAYMOND, J.E.
Raymond, J.E. and Leibowitz, H.W. Viewing distance and the sustained detection of high spatial frequency gratings 25: 1655.

REGAN, D.
Spekreijse, H., Dagnelie, G., Maier, J. and Regan, D. Flicker and movement constituents of the pattern reversal response 25: 1297.

REMTULLA, S.
Remtulla, S. and Hallett, P.E. A schematic eye for the mouse, and comparisons with the rat 25: 21.

RENNER, A.
Becker, W. and Renner, A. Measuring eye movements with a search coil: non-linear filter allows simultaneous recording of horizontal and vertical eye position by means of the phase modulation method 25: 1755.

REUTER, T.
Maximov, V.V., Orlov, O.Y. and Reuter, T. Chromatic properties of the retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.

REYMOND, L.
Reymond, L. Spatial visual acuity of the eagle Aquila audax: a behavioural, optical and anatomical investigation 25: 1477.
McFadden, S.A. and Reymond, L. A further look at the binocular visual field of the pigeon (Columba livia) 25: 1741.

ROBBINS, J.
Priest, T.D., Robbins, J. and Ikeda, H. The action of inhibitory neurotransmitters, gamma-aminobutyric acid and glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.

ROBINSON, D.A.
Meyer, C.H., Lasker, A.G. and Robinson, D.A. The upper limit of human smooth pursuit velocity 25: 561.
Robinson, D.A. Bielschowsky head-tilt test--II. Quantitative mechanics of the Bielschowsky head-tilt test 25: 1983.

ROGERS, G.L.
Lequire, L.E. and Rogers, G.L. Pattern electroretinogram: use of noncorneal skin electrodes 25: 867.

ROHLER, R.
Perizonius, E., Schill, W., Geiger, H. and Rohler, R. Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.

ROLLS, E.T.
Rolls, E.T., Baylis, G.C. and Leonard, C.M. Role of low and high spatial frequencies in the face-selective responses of neurons in the cortex in the superior temporal sulcus in the monkey 25: 1021.

ROSS, J.
Burr, D.C., Ross, J. and Morrone, M.C. Local regulation of luminance gain 25: 717.

RUBIN, G.S.
Legge, G.E., Pelli, D.G., Rubin, G.S. and Schleske, M.M. Psychophysics of reading - I. Normal vision 25: 239.
Legge, G.E., Rubin, G.S., Pelli, D.G. and Schleske, M.M. Psychophysics of reading - II. Low vision 25: 253.

RUMPF, D.
Ciuffreda, K.J. and Rumpf, D. Contrast and accommodation in amblyopia 25: 1445.

SAKATA, H.
Sakata, H., Shibutani, H., Kawano, K. and Harrington, T.L. Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.

SAKURAI, K.
Sakurai, K. and Gyoba, J. Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.

SAKURANAGA, M.
Sakuranaga, M. and Ando, Y.-i. Visual sensitivity and Wiener kernels 25: 507.

SALT, T.E.
Sillito, A.M., Salt, T.E., and Kemp, J.A. Modulatory and inhibitory processes in the visual cortex 25: 375.

SATO, H.
Tsumoto, T. and Sato, H. GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.

SAYLES, N.
Howland, H.C. and Sayles, N. Photokeratometric and photorefractive

measurements of astigmatism in infants and young children 25: 73.

SCHANEL-KLITSCH, E.
Schanel-Klitsch, E. and Woodruff-Pak, D.S. Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.

SCHEIN, S.J.
Desimone, R., Schein, S.J., Moran, J. and Ungerleider, L.G. Contour, color and shape analysis beyond the striate cortex 25: 441.

SCHELVIS, J.
Brenner, E., Schelvis, J. and Nuboer, J.F.W. Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.

SCHILL, W.
Perizonius, E., Schill, W., Geiger, H. and Rohler, R. Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.

SCHLESKE, M.M.
Legge, G.E., Pelli, D.G., Rubin, G.S. and Schleske, M.M. Psychophysics of reading - I. Normal vision 25: 239.
Legge, G.E., Rubin, G.S., Pelli, D.G. and Schleske, M.M. Psychophysics of reading - II. Low vision 25: 253.

SCHNECK, M.E.
Varner, D., Cook, J.E., Schneck, M.E., McDonald, M.A. and Teller, D.Y. Tritan discriminations by 1- and 2-month-old human infants 25: 821.

SCHOR, C.M.
Schor, C.M. and Badcock, D.R. A comparison of stereo and vernier acuity within spatial channels as a function of distance from fixation 25: 1113.
Westall, C.A. and Schor, C.M. Asymmetries of optokinetic nystagmus in amblyopia: the effect of selected retinal stimulation 25: 1431.

SHEEN, F.H.
Fitzke, F.W., Holden, A.L. and Sheen, F.H. A Maxwellian-view optometer suitable for electrophysiological and psychophysical research 25: 871.

SHEVELL, S.K.
Humanski, R.A. and Shevell, S.K. Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.

SHIBUTANI, H.
Sakata, H., Shibutani, H., Kawano, K. and Harrington, T.L. Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.

SHIGEMATSU, Y.
Yamada, M., Shigematsu, Y. and Fuwa, M. Latency of horizontal cell response in the carp retina 25: 767.

SILLITO, A.M.
Sillito, A.M., Salt, T.E., and Kemp, J.A. Modulatory and inhibitory processes in the visual cortex 25: 375.

SIMONSZ, H.J.
Simonsz, H.J., Crone, R.A., van der Meer, J., Merckel-Timmer, C.F. and van Mourik-Noordenbos, A.M. Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.

SINGER, W.
Singer, W. Central control of developmental plasticity in the mammalian visual cortex 25: 389.

SIRETEANU, R.
Sireteanu, R. Development of visual acuity in very young kittens. A study with forced-choice preferential looking 25: 781.

SIVAK, J.G.
Sivak, J.G., Hildebrand, T. and Lebert, C. Magnitude and rate of accommodation in diving and nondiving birds 25: 925.

SKAVENSKI, A.A.
Hansen, R.M. and Skavenski, A.A. Accuracy of spatial localizations near the time of saccadic eye movements 25: 1077.

SMITH, A.T.
Smith, A.T. Velocity coding: evidence from perceived velocity shifts 25: 1969.

SMITH, D.C.
Smith, D.C. and Holdefer, R.N. Binocular competitive interactions and recovery of visual acuity in long-term monocularly deprived cats 25: 1783.

SMITH, V.C.
Ueno. T., Pokorny, J. and Smith, V.C. Reaction times to chromatic stimuli 25: 1623.

SNODDERLY, D.M.
Snodderly, D.M. and Kurtz, D. Eye position during fixation tasks:

comparison of macaque and human 25: 83.
SNYDER, A.W.
Bossomaier, T.R.J., Snyder, A.W. and Hughes, A. Irregularity and aliasing: solution 25: 145.
Land, M.F. and Snyder, A.W. Cone mosaic observed directly through natural pupil of live vertebrate 25: 1519.
SPAFFORD, M.
Lovasik, J.V., Spafford, M. and Szymkiw, M. Modification of pattern reversal VERs by ocular accommodation 25: 599.
SPEKREIJSE, H.
Spekreijse, H., Dagnelie, G., Maier, J. and Regan, D. Flicker and movement constituents of the pattern reversal response 25: 1297.
SPIEGELHALTER, D.J.
Bowmaker, J.K., Jacobs, G.H., Spiegelhalter, D.J. and Mollon, J.D. Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.
SQUATRITO, S.
Poggio, G.F., Motter, B.C., Squatrito, S. and Trotter, Y. Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.
SRINIVASAN, M.V.
Srinivasan, M.V. Shouldn't directional movement detection necessarily be "colour-blind"? 25: 997.
STEINBACH, M.J.
Guzman, O. and Steinbach, M.J. Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.
STEINMAN, S.B.
Steinman, S.B., Levi, D.M., Klein, S.A. and Manny, R.E. Selectivity of the evoked potential for vernier offset 25: 951.
STELMACH, L.B.
Bourassa, C.M., Stelmach, L.B. and Di Lollo, V. Equating visibility of brief decrements: unconfounding duration and luminance 25: 1241.
STONE, J.
Stone, J., Egan, M. and Rapaport, D.H. The site of commencement of retinal maturation in the rabbit 25: 309.
STREISINGER, G.
Nawrocki, L., BreMiller, R., Streisinger, G. and Kaplan, M. Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.
STROMEYER, C.F. III
Stromeyer, C.F. III, Cole, G.R. and Kronauer, R.E. Second-site adaptation in the red-green chromatic pathways 25: 219.
SU, Y.-Y.T
Lam, D.M.-K., Li, H.-B., Su, Y.-Y.T and Watt, C.B. The signature hypothesis: co-localizations of neuroactive substances as anatomical probes for circuitry analyses 25: 1353.
SUGAWARA, K.
Sugawara, K. Lateral actions at the inner plexiform layer of the carp retina: effects of turning windmill pattern stimulus 25: 1179.
SUTTER, E.E.
Norcia, A.M., Sutter, E.E. and Tyler, C.W. Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.
SUZUKI, H.
Suzuki, H. Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex 25: 465.
SUZUKI, T.
Suzuki, T., Makino-Tasaka, M. and Miyata, S. Competition between retinal and 3-dehydroretinal for opsin in the regeneration of visual pigment 25: 149.
SWANSON, W.H.
Swanson, W.H. and Wilson, H.R. Eccentricity dependence of contrast matching and oblique masking 25: 1285.
SZYMKIW, M.
Lovasik, J.V., Spafford, M. and Szymkiw, M. Modification of pattern reversal VERs by ocular accommodation 25: 599.
TAKAHASHI, S.
Takahashi, S. and Ejima, Y. Effects on grating detection of vertically displaced peripheral gratings 25: 129.
Akita, M., Takahashi, S. and Ejima, Y. Red-green opponency in the detection and the perceptual hue cancellation 25: 1129.
Ejima, Y. and Takahashi, S. Apparent contrast of a sinusoidal grating in the simultaneous presence of peripheral gratings 25: 1223.

Ejima, Y. and Takahashi, S. Effect of localized grating adaptation as a function of separation along the length axis between test and adaptation areas 25: 1701.
Ejima, Y. and Takahashi, S. Interaction between short- and longer-wavelength cones in hue cancellation codes: nonlinearities of hue cancellation as a function of stimulus intensity 25: 1911.

TAKAHASHI, Y.
Ogawa, T., Takimori, T. and Takahashi, Y. Projection of morphologically identified superior colliculus neurons to the lateral posterior nucleus in the cat 25: 329.

TAKIMORI, T.
Ogawa, T., Takimori, T. and Takahashi, Y. Projection of morphologically identified superior colliculus neurons to the lateral posterior nucleus in the cat 25: 329.

TANAKA, K.
Tanaka, K. Organization of geniculate inputs to visual cortical cells in the cat 25: 357.

TARSIS, S.L.
Bone, R.A., Landrum, J.T. and Tarsis, S.L. Preliminary identification of the human macular pigment 25: 1531.

TELLER, D.Y.
Varner, D., Cook, J.E., Schneck, M.E., McDonald, M.A. and Teller, D.Y. Tritan discriminations by 1- and 2-month-old human infants 25: 821.

THORNTON, J.E.
Friedman, L.J., Thornton, J.E. and Pugh, E.N. Jr. Cone antagonism along visual pathways of red/green dichromats 25: 1647.

TOYAMA, K.
Toyama, K , Komatsu, Y., Kasai, H., Fujii, K. and Umetani, K. Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.

TROTTER, Y.
Poggio, G.F., Motter, B.C., Squatrito, S. and Trotter, Y. Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.

TSUMOTO, T.
Tsumoto, T. and Sato, H. GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.

TURNER, R.S.E.
Georgeson, M.A. and Turner, R.S.E. Afterimages of sinusoidal, square-wave and compound gratings 25: 1709.

TYLER, C.W.
Tyler, C.W. and Apkarian, P.A. Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.
Norcia, A.M. and Tyler, C.W. Spatial frequency sweep VEP: visual acuity during the first year of life 25: 1399.
Norcia, A.M., Sutter, E.E. and Tyler, C.W. Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.

UENO, T.
Ueno, T., Pokorny, J. and Smith, V.C. Reaction times to chromatic stimuli 25: 1623.

UMETANI, K.
Toyama, K., Komatsu, Y., Kasai, H., Fujii, K. and Umetani, K. Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.

UNGERLEIDER, L.G.
Desimone, R., Schein, S.J., Moran, J. and Ungerleider, L.G. Contour, color and shape analysis beyond the striate cortex 25: 441.

VAN GISBERGEN, J.A.M.
Van Opstal, A.J., Van Gisbergen, J.A.M. and Eggermont, J.J. Reconstruction of neural control signals for saccades based on an inverse method 25: 789.
Ottes, F.P., Van Gisbergen, J.A.M. and Eggermont, J.J. Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.

VAN OPSTAL, A.J.
Van Opstal, A.J., Van Gisbergen, J.A.M. and Eggermont, J.J. Reconstruction of neural control signals for saccades based on an inverse method 25: 789.

VARNER, D.
Varner, D., Cook, J.E., Schneck, M.E., McDonald, M.A. and Teller, D.Y. Tritan discriminations by 1- and 2-month-old human infants 25: 821.

VICTOR, J.D.
Victor, J.D. Complex visual textures as a tool for studying the VEP 25: 1811.
Victor, J.D. and Zemon, V. The human visual evoked potential: analysis of components due to elementary and complex aspects of form 25: 1829.
VOGELS, R.
Vogels, R. and Orban, G.A. The effect of practice on the oblique effect in line orientation judgments 25: 1679.
VROLIJK, P.C.
Vrolijk, P.C. and van der Wildt, G.J. Foveal inhibition measured with suprathreshold stimuli 25: 1413.
Vrolijk, P.C. and van der Wildt, G.J. The influence of the background on the generation of inhibition 25: 1423.
WACHTMEISTER, L.
Heynen, H., Wachtmeister, L. and van Norren, D. Origin of the oscillatory potentials in the primate retina 25: 1365.
WAKAKUWA, K.
Wakakuwa, K., Washida, A. and Fukuda, Y. Distribution and soma size of ganglion cells in the retina of the eastern chipmunk (Tamias sibiricus asiaticus) 25: 877.
WALKER, J.T.
Walker, J.T. Brightness reversal in the natural visual environment: a venetian blind effect 25: 1893.
WALSH, G.
Charman, W.N. and Walsh, G. The optical phase transfer function of the eye and the perception of spatial phase 25: 619.
WANG, H.H.
Kolb, H. and Wang, H.H. The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
WARD, P.A.
Ward, P.A. and Charman, W.N. Effect of pupil size on steady state accommodation 25: 1317.
WASHIDA, A.
Wakakuwa, K., Washida, A. and Fukuda, Y. Distribution and soma size of ganglion cells in the retina of the eastern chipmunk (Tamias sibiricus asiaticus) 25: 877.
WATANABE, M.
Fukuda, Y., Hsiao, C.-F. and Watanabe, M. Morphological correlates of Y, X and W type ganglion cells in the cat's retina 25: 319.
WATT, C.B.
Lam, D.M.-K., Li, H.-B., Su, Y.-Y.T and Watt, C.B. The signature hypothesis: co-localizations of neuroactive substances as anatomical probes for circuitry analyses 25: 1353.
WATT, R.J.
Watt, R.J. and Morgan, M.J. A theory of the primitive spatial code in human vision 25: 1661.
WEINSTEIN, J.M.
Lloyd, T., Kochel, R.L. and Weinstein, J.M. The effect of sympathectomy upon iris tyrosinase activity 25: 213.
WEISS, S.R.B.
Hodos, W., Bessette, B.B., Macko, K.A. and Weiss, S.R.B. Normative data for pigeon vision 25: 1525.
WELCH, L.
Welch, L. and McKee, S.P. Colliding targets: evidence for spatial localization within the motion system 25: 1901.
WESTALL, C.A.
Westall, C.A. and Schor, C.M. Asymmetries of optokinetic nystagmus in amblyopia: the effect of selected retinal stimulation 25: 1431.
WESTHEIMER, G.
Bennett, R.G. and Westheimer, G. A shift in the perceived simultaneity of adjacent visual stimuli following adaptation to stroboscopic motion along the same axis 25: 565.
Westheimer, G. The oscilloscopic view: retinal illuminance and contrast of point and line targets 25: 1097.
Badcock, D.R. and Westheimer, G. Spatial location and hyperacuity: the centre-surround localization contribution function has two substrates 25: 1259.
WHITAKER, D
Buckingham, T. and Whitaker, D The influence of luminance on displacement thresholds for continuous oscillatory movement 25: 1675.
WHITE, M.
White, M. and White, T. Counterphase lightness induction 25: 1331.

WHITE, T.
White, M. and White, T. Counterphase lightness induction 25: 1331.
WIESEL, T.N.
Gilbert, C.D. and Wiesel, T.N. Intrinsic connectivity and receptive field properties in visual cortex 25: 365.
VAN DER WILDT, G.J.
Vrolijk, P.C. and van der Wildt, G.J. Foveal inhibition measured with suprathreshold stimuli 25: 1413.
Vrolijk, P.C. and van der Wildt, G.J. The influence of the background on the generation of inhibition 25: 1423.
WILLIAMS, D.R.
Williams, D.R. Aliasing in human foveal vision 25: 195.
Grinberg, D.L. and Williams, D.R. Stereopsis with chromatic signals from the blue-sensitive mechanism 25: 531.
WILSON, A.E.
Wilson, A.E. and Johnson, R.M. Transposition in backward masking. The case of the travelling gap 25: 283.
WILSON, H.R.
Ferrera, V.P. and Wilson, H.R. Spatial frequency tuning of transient non-oriented units 25: 67.
Bergen, J.R. and Wilson, H.R. Prediction of flicker sensitivities from temporal three-pulse data 25: 577.
Swanson, W.H. and Wilson, H.R. Eccentricity dependence of contrast matching and oblique masking 25: 1285.
WONG, A.
Golomb, B., Andersen, R.A., Nakayama, K., MacLeod, D.I.A. and Wong, A. Visual thresholds for shearing motion in monkey and man 25: 813.
WOODRUFF-PAK, D.S.
Schanel-Klitsch, E. and Woodruff-Pak, D.S. Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.
WRIGHT, M.J.
Johnston, A. and Wright, M.J. Lower thresholds of motion for gratings as a function of eccentricity and contrast 25: 179.
Wright, M.J. and Johnston, A. The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Wright, M.J. and Johnston, A. Invariant tuning of motion aftereffect 25: 1947.
WRIGHT, S.E.
Fernald, R.D. and Wright, S.E. Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Optics 25: 155.
Fernald, R.D. and Wright, S.E. Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Accommodation 25: 163.
Marrocco, R.T., Carpenter, M.A. and Wright, S.E. Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.
WYATT, H.J.
Pola, J. and Wyatt, H.J. Active and passive smooth eye movements: effects of stimulus size and location 25: 1063.
YAMADA, M.
Yamada, M., Shigematsu, Y. and Fuwa, M. Latency of horizontal cell response in the carp retina 25: 767.
ZEEVI, Y.Y.
Meer, P. and Zeevi, Y.Y. Context dependent processing in spatial hyperacuity 25: 1989.
ZEMON, V.
Victor, J.D. and Zemon, V. The human visual evoked potential: analysis of components due to elementary and complex aspects of form 25: 1829.

SUBJECT INDEX

ABERRATION
A schematic eye for the mouse, and comparisons with the rat 25: 21.
Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Optics 25: 155.
The magnitude of longitudinal chromatic aberration of the human eye between 458 and 633 nm 25: 1747.

ABSOLUTE THRESHOLD (SEE DETECTION THRESHOLD)

ACCOMMODATION
Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Accommodation 25: 163.
Modification of pattern reversal VERs by ocular accommodation 25: 599.
Magnitude and rate of accommodation in diving and nondiving birds 25: 925.
Effect of pupil size on steady state accommodation 25: 1317.
Contrast and accommodation in amblyopia 25: 1445.
Near points of accommodation in pigeons 25: 1529.
On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.
Viewing distance and the sustained detection of high spatial frequency gratings 25: 1655.
The magnitude of longitudinal chromatic aberration of the human eye between 458 and 633 nm 25: 1747.
Can current models of accommodation and vergence control account for the discrepancies between AC/A measurements by the fixation disparity and phoria methods? 25: 1999.

ACUITY (SEE ALSO STEREOPSIS; HYPERACUITY)
Aliasing in human foveal vision 25: 195.
Psychophysics of reading - II. Low vision 25: 253.
Development of visual acuity in very young kittens. A study with forced-choice preferential looking 25: 781.
Spatial frequency sweep VEP: visual acuity during the first year of life 25: 1399.
Spatial visual acuity of the eagle Aquila audax: a behavioural, optical and anatomical investigation 25: 1477.
Normative data for pigeon vision 25: 1525.
Viewing distance and the sustained detection of high spatial frequency gratings 25: 1655.
Binocular competitive interactions and recovery of visual acuity in long-term monocularly deprived cats 25: 1783.

ADAPTATION
Frequency dependence in scotopic flicker sensitivity 25: 115.
Second-site adaptation in the red-green chromatic pathways 25: 219.
A shift in the perceived simultaneity of adjacent visual stimuli following adaptation to stroboscopic motion along the same axis 25: 565.
Cone-rod interaction over time and space 25: 907.
Temporal modulation of the background affects the sensitization response of X- and Y-cells in the dLGN of cat 25: 1007.
Adaptation to apparent motion 25: 1051.
Marathon adaptation to spatial contrast: saturation in sight 25: 1409.
Effect of localized grating adaptation as a function of separation along the length axis between test and adaptation areas 25: 1701.
Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.
Velocity coding: evidence from perceived velocity shifts 25: 1969.

ADAPTATION, CHROMATIC
Second-site adaptation in the red-green chromatic pathways 25: 219.
Two temporal phases, brightness-dependent and -independent, in the chromatic response elicited by a briefly-flashed monochromatic light: a preliminary report 25: 1137.
Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.
Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.

ADAPTATION, DARK
The early phase of dark adaptation in human infants 25: 207.

The specific inhibition of 11-cis-retinyl palmitate formation in the frog eye by diaminophenoxypentane, an inhibitor of rhodopsin regeneration 25: 741.

ADAPTATION, LIGHT
The early phase of dark adaptation in human infants 25: 207.
Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.

AFTEREFFECTS (SEE ALSO ILLUSION; PERSISTENCE)
Visual cortical correlates of visible persistence 25: 171.
A shift in the perceived simultaneity of adjacent visual stimuli following adaptation to stroboscopic motion along the same axis 25: 565.
A motion aftereffect from an isoluminant stimulus 25: 685.
Pattern electroretinogram: use of noncorneal skin electrodes 25: 867.
Visual persistence from brief letters and pictures 25: 887.
Adaptation to apparent motion 25: 1051.
An afterimage vernier method for assessing the precision of eye movement monitors: results for the scleral coil technique 25: 1341.
Color and luminance share a common motion pathway 25: 1595.
Afterimages of sinusoidal, square-wave and compound gratings 25: 1709.
Separate detectors for simple and complex grating patterns 25: 1869.
The low level motion system has both chromatic and luminance inputs 25: 1879.
Brightness reversal in the natural visual environment: a venetian blind effect 25: 1893.
Invariant tuning of motion aftereffect 25: 1947.

AFTERIMAGE (SEE AFTEREFFECTS)

ALIASING
Irregularity and aliasing: solution 25: 145.
Aliasing in human foveal vision 25: 195.

ALIGNMENT (SEE HYPERCUITY)

AMACRINE CELLS
Spontaneous membrane fluctuation in catfish type-N cells 25: 539.
Lateral actions at the inner plexiform layer of the carp retina: effects of turning windmill pattern stimulus 25: 1179.
The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
Inner plexiform layer of jack mackerel retina: participation of amacrine and ganglion cells in its spatial organization 25: 1853.

AMBLYOPIA
Temporal sensitivity in amblyopia: an explanation of conflicting reports 25: 39.
Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.
The binocular contribution to monocular optokinetic nystagmus and after nystagmus asymmetries in humans 25: 589.
Vernier acuity, crowding and amblyopia 25: 979.
Infant astigmatism and meridional amblyopia 25: 1269.
Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.
Asymmetries of optokinetic nystagmus in amblyopia: the effect of selected retinal stimulation 25: 1431.
Contrast and accommodation in amblyopia 25: 1445.
Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.
Binocular competitive interactions and recovery of visual acuity in long-term monocularly deprived cats 25: 1783.

APPARATUS (SEE ALSO TECHNIQUES)
Approximate visual axis projection for the rhesus monkey using a funduscope and alignment laser 25: 301.
A Maxwellian-view optometer suitable for electrophysiological and psychophysical research 25: 871.
A light-weight, low-cost optokinetic drum 25: 1001.
A soft contact lens search coil for measuring eye movements 25: 1629.

A high-speed point plotter for vision research 25: 1993.

BINOCULAR RIVALRY (SEE ALSO SUPPRESSION)
Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.
Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.
Binocular competitive interactions and recovery of visual acuity in long-term monocularly deprived cats 25: 1783.

BINOCULAR VISION
Utrocular discrimination is not sufficient for utrocular identification 25: 289.
Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
Infant interocular acuity differences and binocular vision 25: 571.
Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.
Fechner's paradox in binocular contrast sensitivity 25: 609.
Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.
Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.
Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.
A further look at the binocular visual field of the pigeon (Columba livia) 25: 1741.
Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.

BIPOLAR CELLS
Morphology of bipolar cells and their participation in spatial organization of the inner plexiform layer of jack mackerel retina 25: 1843.

BRIGHTNESS PERCEPTION
Two temporal phases, brightness-dependent and -independent, in the chromatic response elicited by a briefly-flashed monochromatic light: a preliminary report 25: 1137.
Equating visibility of brief decrements: unconfounding duration and luminance 25: 1241.
Brightness reversal in the natural visual environment: a venetian blind effect 25: 1893.

BROCA-SULZER EFFECT (SEE BRIGHTNESS PERCEPTION)

CELLS (SEE AMACRINE CELLS; BIPOLAR CELLS; GANGLION CELLS; HORIZONTAL CELLS; LATERAL GENICULATE NUCLEUS; CORTEX)

CHANNELS
The spatiotemporal properties of the r-g X-cell channel 25: 33.
Frequency dependence in scotopic flicker sensitivity 25: 115.
Visual conspicuity of a moving dot, horizontal line segment or vertical line segment 25: 1083.
A comparison of stereo and vernier acuity within spatial channels as a function of distance from fixation 25: 1113.
Spatial and temporal selectivity of the human motion detection system 25: 1147.
Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.
Detecting the displacement of periodic patterns 25: 1253.
Stationary patterns suppress the perception of stroboscopic motion 25: 1501.
Reaction times to chromatic stimuli 25: 1623.
Separate detectors for simple and complex grating patterns 25: 1869.

CHROMATIC ABERRATION (SEE ABERRATION)

CHROMATIC CONTRAST (SEE COLOR CONTRAST)

CHROMATIC INDUCTION (SEE COLOR CONTRAST)

COLOR ANOMALY

Color vision in squirrel monkeys: sex-related differences suggest the mode of inheritance 25: 141.
Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.
Shouldn't directional movement detection necessarily be "colour-blind"? 25: 997.
Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.

COLOR APPEARANCE
Color perception with binocularly fused adapting fields of different wavelengths 25: 1923.

COLOR BLINDNESS (SEE COLOR ANOMALY; DICHROMACY)

COLOR CODING
Contour, color and shape analysis beyond the striate cortex 25: 441.
Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.

COLOR CONTRAST
Second-site adaptation in the red-green chromatic pathways 25: 219.
A motion aftereffect from an isoluminant stimulus 25: 685.
Positional acuity with chromatic stimuli 25: 689.
Color and luminance share a common motion pathway 25: 1595.
The low level motion system has both chromatic and luminance inputs 25: 1879.

COLOR DISCRIMINATION
Role of the blue mechanism in wavelength discrimination 25: 523.
Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.
Just noticeable inhomogeneity criterion for determining wavelength discrimination functions 25: 1327.
Blue cones contribute to border distinctness 25: 1349.
Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.

COLOR MATCHING
Color vision in squirrel monkeys: sex-related differences suggest the mode of inheritance 25: 141.
Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.

COLOR OPPONENCY
Laminar segregation of color cells in the monkey's striate cortex 25: 415.
Chromatic properties of the retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.
Red-green opponency in the detection and the perceptual hue cancellation 25: 1129.
Temporal modulation sensitivity of the blue mechanism: measurements made with extraretinal chromatic adaptation 25: 1439.
Cone antagonism along visual pathways of red/green dichromats 25: 1647.
Additivity of red chromatic valence 25: 1885.
Interaction between short- and longer-wavelength cones in hue cancellation codes: nonlinearities of hue cancellation as a function of stimulus intensity 25: 1911.

CONES
Ultraviolet photosensitivity in goldfish: an independent U.V. retinal mechanism 25: 11.
Role of the blue mechanism in wavelength discrimination 25: 523.
Stereopsis with chromatic signals from the blue-sensitive mechanism 25: 531.
Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.
Tritan discriminations by 1- and 2-month-old human infants 25: 821.
The scotopic visibility curve and cone intrusion 25: 863.
Visual persistence from brief letters and pictures 25: 887.
Cone-rod interaction over time and space 25: 907.

Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.
Determinants of the spatial properties of cone-rod interaction 25: 1277.
Blue cones contribute to border distinctness 25: 1349.
Temporal modulation sensitivity of the blue mechanism: measurements made with extraretinal chromatic adaptation 25: 1439.
Cone mosaic observed directly through natural pupil of live vertebrate 25: 1519.
Characterization of the color related receptor mosaic in the ground squirrel retina 25: 1557.
Cone antagonism along visual pathways of red/green dichromats 25: 1647.
The ganglion cell and cone distributions in the monkey's retina: implications for central magnification factors 25: 1795.
Interaction between short- and longer-wavelength cones in hue cancellation codes: nonlinearities of hue cancellation as a function of stimulus intensity 25: 1911.

CONTOUR PERCEPTION
Transposition in backward masking. The case of the travelling gap 25: 283.
Contour, color and shape analysis beyond the striate cortex 25: 441.
Eccentricity dependence of contrast matching and oblique masking 25: 1285.
Counterphase lightness induction 25: 1331.

CONTRAST DISCRIMINATION
The oscilloscopic view: retinal illuminance and contrast of point and line targets 25: 1097.
Apparent contrast of a sinusoidal grating in the simultaneous presence of peripheral gratings 25: 1223.
Contrast and accommodation in amblyopia 25: 1445.
Apparent spatial frequency and contrast of gratings: separate effects of contrast and duration 25: 1721.

CONTRAST FLASH (SEE MASKING)

CONTRAST PERCEPTION
Suprathreshold contrast perception at different luminance levels 25: 1.
Spatial frequency interference on grating-induction 25: 1507.

CONTRAST REVERSAL
Flicker and movement constituents of the pattern reversal response 25: 1297.

CONTRAST SENSITIVITY
Temporal sensitivity in amblyopia: an explanation of conflicting reports 25: 39.
Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.
Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.
Aliasing in human foveal vision 25: 195.
Visual sensitivity and Wiener kernels 25: 507.
Fechner's paradox in binocular contrast sensitivity 25: 609.
Local regulation of luminance gain 25: 717.
Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.
The influence of nystagmoid oscillation on contrast sensitivity in normal observers 25: 1089.
Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.
Effect of localized grating adaptation as a function of separation along the length axis between test and adaptation areas 25: 1701.
Receptive-field-like functions inferred from large-area psychophysical measurements 25: 1895.

CORNEA
Photokeratometric and photorefractive measurements of astigmatism in infants and young children 25: 73.

CORTEX
Texture discrimination: representation of orientation and luminance differences in cells of the cat striate cortex 25: 99.
Visual cortical correlates of visible persistence 25: 171.

The site of commencement of retinal maturation in the rabbit 25: 309.
Ascending, descending and local control of neuronal activity in the rat lateral geniculate nucleus 25: 339.
An in vitro preparation and study of cells in cat visual cortex 25: 349.
Organization of geniculate inputs to visual cortical cells in the cat 25: 357.
Intrinsic connectivity and receptive field properties in visual cortex 25: 365.
Modulatory and inhibitory processes in the visual cortex 25: 375.
GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.
Central control of developmental plasticity in the mammalian visual cortex 25: 389.
Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.
Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
Laminar segregation of color cells in the monkey's striate cortex 25: 415.
Neuropsychological basis of pattern vision in macaque monkeys 25: 425.
Contour, color and shape analysis beyond the striate cortex 25: 441.
Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.
Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex 25: 465.
Cerebral cortical activity associated with the orientation of visual attention in the rhesus monkey 25: 471.
Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.
Role of low and high spatial frequencies in the face-selective responses of neurons in the cortex in the superior temporal sulcus in the monkey 25: 1021.
The influence of spatial frequency on the reaction times and evoked potentials recorded to grating pattern stimuli 25: 1545.

CORTICAL MAGNIFICATION
Lower thresholds of motion for gratings as a function of eccentricity and contrast 25: 179.
The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Vernier acuity, crowding and cortical magnification 25: 963.
Vernier acuity, crowding and amblyopia 25: 979.

CRAIK-O'BRIEN EFFECT (SEE CONTOUR PERCEPTION)

DEPTH PERCEPTION
Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.
Stereopsis with chromatic signals from the blue-sensitive mechanism 25: 531.
Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.

DETECTION THRESHOLD
Effects on grating detection of vertically displaced peripheral gratings 25: 129.
Contrast detection and detection of contrast modulation for noise gratings 25: 511.
Visual thresholds for shearing motion in monkey and man 25: 813.
Red-green opponency in the detection and the perceptual hue cancellation 25: 1129.

DEUTERANOPIA (SEE DICHROMACY)

DEVELOPMENT
Photokeratometric and photorefractive measurements of astigmatism in infants and young children 25: 73.
The early phase of dark adaptation in human infants 25: 207.
GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.
Central control of developmental plasticity in the mammalian visual cortex 25: 389.
Infant interocular acuity differences and binocular vision 25: 571.
Development of visual acuity in very young kittens. A study with

forced-choice preferential looking 25: 781.
Tritan discriminations by 1- and 2-month-old human infants 25: 821.
The development of young infants' ability to detect stimuli in the nasal visual field 25: 943.
A three alternative tracking paradigm to measure vernier acuity of older infants 25: 1245.
Infant astigmatism and meridional amblyopia 25: 1269.
Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.
Spatial frequency sweep VEP: visual acuity during the first year of life 25: 1399.
Physiological development of the kitten's retina: an ERG study 25: 1537.
Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.
Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.
Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.

DICHROMACY
Color vision in squirrel monkeys: sex-related differences suggest the mode of inheritance 25: 141.
Role of the blue mechanism in wavelength discrimination 25: 523.
Cone mechanisms underlying the color discrimination of deutan color deficients 25: 661.
Tritan discriminations by 1- and 2-month-old human infants 25: 821.
Just noticeable inhomogeneity criterion for determining wavelength discrimination functions 25: 1327.
Cone antagonism along visual pathways of red/green dichromats 25: 1647.

DIPLOPIA (SEE BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Anisotropy in the preferred directions and visual field location of directionally-selective optic nerve fibers in the gray squirrel 25: 615.
Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.
Beyond the displacement limit: an analysis of short-range processes in apparent motion 25: 839.
The Stiles-Crawford effect in the eye of the blowfly, Calliphora erythrocephala 25: 1305.

DISPARITY (SEE BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (SEE PERIPHERAL VISION)

ELECTRORETINOGRAM
Temporal transfer and nonlinearity properties of turtle ERG: tuning by temperature, pharmacology, and light intensity 25: 483.
Origin of the electroretinogram in the intact macaque eye - I. Principal component analysis 25: 697.
Origin of the electroretinogram in the intact macaque eye - II. Current source-density analysis 25: 709.
Pattern electroretinogram: use of noncorneal skin electrodes 25: 867.
The electroretinogram, standing potential, and light peak of the perfused cat eye during acid-base changes 25: 1163.
Origin of the oscillatory potentials in the primate retina 25: 1365.
Physiological development of the kitten's retina: an ERG study 25: 1537.

ENTOPTIC PHENOMENA
Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.

EVOKED POTENTIALS
Approximate visual axis projection for the rhesus monkey using a funduscope and alignment laser 25: 301.
Modification of pattern reversal VERs by ocular accommodation 25: 599.
Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.
Selectivity of the evoked potential for vernier offset 25: 951.
Flicker and movement constituents of the pattern reversal response 25: 1297.
Spatial frequency sweep VEP: visual acuity during the first year of life 25: 1399.
The influence of spatial frequency on the reaction times and evoked

potentials recorded to grating pattern stimuli 25: 1545.
Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.
Complex visual textures as a tool for studying the VEP 25: 1811.
The human visual evoked potential: analysis of components due to elementary and complex aspects of form 25: 1829.

EYE-MOVEMENTS
Eye position during fixation tasks: comparison of macaque and human 25: 83.
Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.
Iso-frequency curves of oculomotor neurons in the rhesus monkey 25: 493.
Biological image motion processing: a review 25: 625.
Visually guided head movement in the African chameleon 25: 935.
The influence of nystagmoid oscillation on contrast sensitivity in normal observers 25: 1089.
Eye and head movements in the pigmented rat 25: 1121.
An afterimage vernier method for assessing the precision of eye movement monitors: results for the scleral coil technique 25: 1341.
A soft contact lens search coil for measuring eye movements 25: 1629.
Power spectra for ocular drift and tremor 25: 1635.
Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.
Measuring eye movements with a search coil: non-linear filter allows simultaneous recording of horizontal and vertical eye position by means of the phase modulation method 25: 1755.
Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
The binocular contribution to monocular optokinetic nystagmus and after nystagmus asymmetries in humans 25: 589.
A light-weight, low-cost optokinetic drum 25: 1001.
Active and passive smooth eye movements: effects of stimulus size and location 25: 1063.
Eye and head movements in the pigmented rat 25: 1121.
Asymmetries of optokinetic nystagmus in amblyopia: the effect of selected retinal stimulation 25: 1431.

EYE-MOVEMENTS, SACCADIC
Cerebral cortical activity associated with the orientation of visual attention in the rhesus monkey 25: 471.
Perceived position and saccadic eye movements 25: 501.
Reconstruction of neural control signals for saccades based on an inverse method 25: 789.
Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.
Accuracy of spatial localizations near the time of saccadic eye movements 25: 1077.
Evidence for a range effect in the saccadic system 25: 1155.

EYE-MOVEMENTS, SMOOTH PURSUIT
The upper limit of human smooth pursuit velocity 25: 561.
Velocity step responses of the human gaze pursuit system. Experiments with sigma-movement 25: 893.
Active and passive smooth eye movements: effects of stimulus size and location 25: 1063.
On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.

EYE-MOVEMENTS, VERGENCE
On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.
Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.

EYE-MOVEMENTS, VESTIBULO-OCULAR
Eye and head movements in the pigmented rat 25: 1121.
Power spectra for ocular drift and tremor 25: 1635.

FLICKER
Frequency dependence in scotopic flicker sensitivity 25: 115.

Prediction of flicker sensitivities from temporal three-pulse data 25: 577.
Adaptation to apparent motion 25: 1051.
Flicker and movement constituents of the pattern reversal response 25: 1297.
Temporal modulation sensitivity of the blue mechanism: measurements made with extraretinal chromatic adaptation 25: 1439.
Temporal frequency discrimination in human vision: evidence for an additional mechanism in the low spatial and high temporal frequency region 25: 1493.
The influence of luminance on displacement thresholds for continuous oscillatory movement 25: 1675.
On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.

FORM PERCEPTION
Complex visual textures as a tool for studying the VEP 25: 1811.
The human visual evoked potential: analysis of components due to elementary and complex aspects of form 25: 1829.

FOVEA
Aliasing in human foveal vision 25: 195.
Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.
Vernier acuity, crowding and cortical magnification 25: 963.
The influence of nystagmoid oscillation on contrast sensitivity in normal observers 25: 1089.
Foveal inhibition measured with suprathreshold stimuli 25: 1413.
Spatial visual acuity of the eagle Aquila audax: a behavioural, optical and anatomical investigation 25: 1477.

GANGLION CELLS
Morphological correlates of Y, X and W type ganglion cells in the cat's retina 25: 319.
Anisotropy in the preferred directions and visual field location of directionally-selective optic nerve fibers in the gray squirrel 25: 615.
Distribution and soma size of ganglion cells in the retina of the eastern chipmunk (Tamias sibiricus asiaticus) 25: 877.
Chromatic properties of the retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.
Lateral actions at the inner plexiform layer of the carp retina: effects of turning windmill pattern stimulus 25: 1179.
Two types of cat retinal ganglion cells that are suppressed by contrast 25: 1195.
The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
The action of inhibitory neurotransmitters, gamma-aminobutyric acid and glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.
The ganglion cell and cone distributions in the monkey's retina: implications for central magnification factors 25: 1795.
Inner plexiform layer of jack mackerel retina: participation of amacrine and ganglion cells in its spatial organization 25: 1853.

GRATINGS
Effects on grating detection of vertically displaced peripheral gratings 25: 129.
Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.
The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Contrast detection and detection of contrast modulation for noise gratings 25: 511.
A motion aftereffect from an isoluminant stimulus 25: 685.
Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.
Apparent contrast of a sinusoidal grating in the simultaneous presence of peripheral gratings 25: 1223.
Counterphase lightness induction 25: 1331.
Marathon adaptation to spatial contrast: saturation in sight 25: 1409.
Orientation selectivity in cats and humans assessed by masking 25: 1459.
Another visual illusion involving orientation 25: 1469.

Spatial frequency interference on grating-induction 25: 1507.
Viewing distance and the sustained detection of high spatial frequency gratings 25: 1655.
Effect of localized grating adaptation as a function of separation along the length axis between test and adaptation areas 25: 1701.
Afterimages of sinusoidal, square-wave and compound gratings 25: 1709.
Apparent spatial frequency and contrast of gratings: separate effects of contrast and duration 25: 1721.
On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.
Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.
Separate detectors for simple and complex grating patterns 25: 1869.
Invariant tuning of motion aftereffect 25: 1947.

HAIDINGER'S BRUSHES (SEE ENTOPTIC PHENOMENA)

HORIZONTAL CELLS
Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Latency of horizontal cell response in the carp retina 25: 767.
The content and release of endogenous GABA in isolated horizontal cells of the goldfish retina 25: 1187.

HYPERACUITY
Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.
The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Biological image motion processing: a review 25: 625.
Positional acuity with chromatic stimuli 25: 689.
Selectivity of the evoked potential for vernier offset 25: 951.
Vernier acuity, crowding and cortical magnification 25: 963.
Vernier acuity, crowding and amblyopia 25: 979.
Effects of spatial separation and retinal eccentricity on two-dot vernier acuity 25: 1105.
A comparison of stereo and vernier acuity within spatial channels as a function of distance from fixation 25: 1113.
A three alternative tracking paradigm to measure vernier acuity of older infants 25: 1245.
Spatial location and hyperacuity: the centre-surround localization contribution function has two substrates 25: 1259.
An afterimage vernier method for assessing the precision of eye movement monitors: results for the scleral coil technique 25: 1341.
Colliding targets: evidence for spatial localization within the motion system 25: 1901.
Context dependent processing in spatial hyperacuity 25: 1989.

ILLUSION (SEE ALSO AFTEREFFECTS)
Another visual illusion involving orientation 25: 1469.
On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.
Sensitivity for structure gradient in texture discrimination tasks 25: 1957.

IMAGE QUALITY
The optical phase transfer function of the eye and the perception of spatial phase 25: 619.
Cone mosaic observed directly through natural pupil of live vertebrate 25: 1519.

INCREMENT THRESHOLD
Visual sensitivity and Wiener kernels 25: 507.
Foveal inhibition measured with suprathreshold stimuli 25: 1413.
Normative data for pigeon vision 25: 1525.
Reaction times to chromatic stimuli 25: 1623.

INTEROCULAR TRANSFER (SEE AFTEREFFECTS)

IRIS
The effect of sympathectomy upon iris tyrosinase activity 25: 213.

LATENCY
Latency of horizontal cell response in the carp retina 25: 767.

Latency dependence of colour-based target vs nontarget discrimination by the saccadic system 25: 849.
On Pulfrich-illusion eye movements and accommondation vergence during visual pursuit 25: 1613.
Reaction times to chromatic stimuli 25: 1623.

LATERAL GENICULATE NUCLEUS
Ascending, descending and local control of neuronal activity in the rat lateral geniculate nucleus 25: 339.
Organization of geniculate inputs to visual cortical cells in the cat 25: 357.
Temporal modulation of the background affects the sensitization response of X- and Y-cells in the dLGN of cat 25: 1007.

LATERAL INHIBITION
Effects on grating detection of vertically displaced peripheral gratings 25: 129.

LENS
Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Accommodation 25: 163.

LOW VISION
Psychophysics of reading - I. Normal vision 25: 239.
Psychophysics of reading - II. Low vision 25: 253.

LUMINANCE
Suprathreshold contrast perception at different luminance levels 25: 1.
Local regulation of luminance gain 25: 717.
The oscilloscopic view: retinal illuminance and contrast of point and line targets 25: 1097.
Equating visibility of brief decrements: unconfounding duration and luminance 25: 1241.
The influence of the background on the generation of inhibition 25: 1423.
Color and luminance share a common motion pathway 25: 1595.
A theory of the primitive spatial code in human vision 25: 1661.
The influence of luminance on displacement thresholds for continuous oscillatory movement 25: 1675.
Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.
The low level motion system has both chromatic and luminance inputs 25: 1879.
Apparent motion from luminance change: sequence discriminators see it too 25: 2003.
Apparent motion from luminance change: further comments on candidate mechanisms 25: 2005.

MACH BANDS (SEE CONTOUR PERCEPTION)

MASKING
Spatial frequency tuning of transient non-oriented units 25: 67.
Transposition in backward masking. The case of the travelling gap 25: 283.
Eccentricity dependence of contrast matching and oblique masking 25: 1285.
Foveal inhibition measured with suprathreshold stimuli 25: 1413.
Orientation selectivity in cats and humans assessed by masking 25: 1459.
Stationary patterns suppress the perception of stroboscopic motion 25: 1501.

MCCOLLOUGH EFFECT (SEE AFTEREFFECTS)

METACONTRAST (SEE MASKING)

MONOCULAR VISION
Infant interocular acuity differences and binocular vision 25: 571.

MORPHOLOGY (SEE NEUROANATOMY)

MOVEMENT PERCEPTION
Lower thresholds of motion for gratings as a function of eccentricity and contrast 25: 179.
The relationship of displacement thresholds for oscillating gratings to cortical magnification, spatiotemporal frequency and contrast 25: 187.
Responses of visual cells in cat superior colliculus to relative pattern movement 25: 267.

Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
A shift in the perceived simultaneity of adjacent visual stimuli following adaptation to stroboscopic motion along the same axis 25: 565.
Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.
The binocular contribution to monocular optokinetic nystagmus and after nystagmus asymmetries in humans 25: 589.
Biological image motion processing: a review 25: 625.
A motion aftereffect from an isoluminant stimulus 25: 685.
Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.
Eccentricity-dependent scaling of the limits for short-range apparent motion perception 25: 803.
Visual thresholds for shearing motion in monkey and man 25: 813.
Beyond the displacement limit: an analysis of short-range processes in apparent motion 25: 839.
Velocity step responses of the human gaze pursuit system. Experiments with sigma-movement 25: 893.
Apparent slant of moving targets on T.V. screens 25: 993.
Shouldn't directional movement detection necessarily be "colour-blind"? 25: 997.
Adaptation to apparent motion 25: 1051.
Spatial and temporal selectivity of the human motion detection system 25: 1147.
Flicker and movement constituents of the pattern reversal response 25: 1297.
Stationary patterns suppress the perception of stroboscopic motion 25: 1501.
Color and luminance share a common motion pathway 25: 1595.
The influence of luminance on displacement thresholds for continuous oscillatory movement 25: 1675.
Separate detectors for simple and complex grating patterns 25: 1869.
The low level motion system has both chromatic and luminance inputs 25: 1879.
Colliding targets: evidence for spatial localization within the motion system 25: 1901.
Invariant tuning of motion aftereffect 25: 1947.
Velocity coding: evidence from perceived velocity shifts 25: 1969.
Apparent motion from luminance change: sequence discriminators see it too 25: 2003.
Apparent motion from luminance change: further comments on candidate mechanisms 25: 2005.

NEUROANATOMY

The site of commencement of retinal maturation in the rabbit 25: 309.
Morphological correlates of Y, X and W type ganglion cells in the cat's retina 25: 319.
Projection of morphologically identified superior colliculus neurons to the lateral posterior nucleus in the cat 25: 329.
An in vitro preparation and study of cells in cat visual cortex 25: 349.
Organization of geniculate inputs to visual cortical cells in the cat 25: 357.
Intrinsic connectivity and receptive field properties in visual cortex 25: 365.
Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex 25: 465.
Distribution and soma size of ganglion cells in the retina of the eastern chipmunk (Tamias sibiricus asiaticus) 25: 877.
The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
Characterization of the color related receptor mosaic in the ground squirrel retina 25: 1557.
The ganglion cell and cone distributions in the monkey's retina: implications for central magnification factors 25: 1795.
Morphology of bipolar cells and their participation in spatial organization of the inner plexiform layer of jack mackerel retina 25: 1843.
Inner plexiform layer of jack mackerel retina: participation of amacrine and ganglion cells in its spatial organization 25: 1853.

NEUROCHEMISTRY

Ascending, descending and local control of neuronal activity in the rat lateral geniculate nucleus 25: 339.
Modulatory and inhibitory processes in the visual cortex 25: 375.
GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.
The content and release of endogenous GABA in isolated horizontal cells of the goldfish retina 25: 1187.
The signature hypothesis: co-localizations of neuroactive substances as anatomical probes for circuitry analyses 25: 1353.
Excitatory amino acid analogs evoke release of endogenous amino acids and acetyl choline from chick retina in vitro 25: 1375.
The action of inhibitory neurotransmitters, gamma-aminobutyric acid and glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.

NEUROTRANSMITTER (SEE NEUROCHEMISTRY)

NOISE
Temporal transfer and nonlinearity properties of turtle ERG: tuning by temperature, pharmacology, and light intensity 25: 483.
Visual sensitivity and Wiener kernels 25: 507.
Contrast detection and detection of contrast modulation for noise gratings 25: 511.
A theory of the primitive spatial code in human vision 25: 1661.

OCULAR DIMENSIONS
A schematic eye for the mouse, and comparisons with the rat 25: 21.
Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Optics 25: 155.

OPTIC TECTUM
Responses of visual cells in cat superior colliculus to relative pattern movement 25: 267.
Projection of morphologically identified superior colliculus neurons to the lateral posterior nucleus in the cat 25: 329.
Chromatic properties of the retinal afferents in the thalamus and the tectum of the frog (Rana temporaria) 25: 1037.

ORIENTATION PERCEPTION
Texture discrimination: representation of orientation and luminance differences in cells of the cat striate cortex 25: 99.
GABAergic inhibition and orientation selectivity of neurons in the kitten visual cortex at the time of eye opening 25: 383.
Orientation sensitivity and texture segmentation in patterns with different line orientation 25: 551.
Neural interactions of two moving patterns in the direction and orientation domain in the complex cells of cat's visual cortex 25: 749.
Effects of contrast, orientation and binocularity in the pattern evoked potential 25: 755.
Apparent slant of moving targets on T.V. screens 25: 993.
Spatial and temporal selectivity of the human motion detection system 25: 1147.
Orientation selectivity in cats and humans assessed by masking 25: 1459.
Another visual illusion involving orientation 25: 1469.
The effect of practice on the oblique effect in line orientation judgments 25: 1679.

PERIPHERAL VISION
Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Is reduced vernier acuity in amblyopia due to position, contrast or fixation deficits? 25: 55.
Eccentricity-dependent scaling of the limits for short-range apparent motion perception 25: 803.
Cone-rod interaction over time and space 25: 907.
Spatial contrast sensitivity: effects of peripheral field stimulation during monocular and dichoptic viewing 25: 917.
Visual conspicuity of a moving dot, horizontal line segment or vertical line segment 25: 1083.
Effects of spatial separation and retinal eccentricity on two-dot vernier acuity 25: 1105.
Determinants of the spatial properties of cone-rod interaction 25: 1277.
Eccentricity dependence of contrast matching and oblique masking 25: 1285.
The action of inhibitory neurotransmitters, gamma-aminobutyric acid and

glycine may distinguish between the area centralis and the peripheral retina in cats 25: 1761.
The low level motion system has both chromatic and luminance inputs 25: 1879.

PERSISTENCE (SEE ALSO AFTEREFFECTS)
Visual cortical correlates of visible persistence 25: 171.
Visual persistence from brief letters and pictures 25: 887.
On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.

PHASE SENSITIVITY
The optical phase transfer function of the eye and the perception of spatial phase 25: 619.

PHOTOCHEMISTRY
Competition between retinal and 3-dehydroretinal for opsin in the regeneration of visual pigment 25: 149.
The specific inhibition of 11-cis-retinyl palmitate formation in the frog eye by diaminophenoxypentane, an inhibitor of rhodopsin regeneration 25: 741.

PHOTOPIC VISION
Cone-rod interaction over time and space 25: 907.
Determinants of the spatial properties of cone-rod interaction 25: 1277.

PHOTOPIGMENTS
Competition between retinal and 3-dehydroretinal for opsin in the regeneration of visual pigment 25: 149.
The specific inhibition of 11-cis-retinyl palmitate formation in the frog eye by diaminophenoxypentane, an inhibitor of rhodopsin regeneration 25: 741.
A photoproduct with 13-cis retinal generated by irradiation with violet light in the octopus retina 25: 775.
Varieties of rhodopsin in frog rod outer segment membranes: analysis by isoelectric focusing 25: 1387.
Preliminary identification of the human macular pigment 25: 1531.
Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.
Properties of the visual pigments of the moth Manduca sexta and the effects of two detergents, digitonin and CHAPS 25: 1771.
Relation of the different forms of frog rhodopsin observed by isoelectric focusing and electrophoresis to a functional model of rhodopsin clusters in the disc membrane 25: 1865.
Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.

PHOTORECEPTORS (SEE ALSO CONES; RODS)
Ultraviolet photosensitivity in goldfish: an independent U.V. retinal mechanism 25: 11.
Aliasing in human foveal vision 25: 195.
Visibility of photoreceptor in the intact living cane toad eye 25: 729.
Spatial spread of light-induced sensitization in rod photoreceptors exposed to low external calcium 25: 733.
Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.
The distribution of photoreceptors, dopaminergic amacrine cells and ganglion cells in the retina of the North American opossum (Didelphis virginiana) 25: 1207.
The Stiles-Crawford effect in the eye of the blowfly, Calliphora erythrocephala 25: 1305.
Spatial visual acuity of the eagle Aquila audax: a behavioural, optical and anatomical investigation 25: 1477.
Cone mosaic observed directly through natural pupil of live vertebrate 25: 1519.
Characterization of the color related receptor mosaic in the ground squirrel retina 25: 1557.
Larval and adult visual pigments of the zebrafish, Brachydanio rerio 25: 1569.
Properties of the visual pigments of the moth Manduca sexta and the effects of two detergents, digitonin and CHAPS 25: 1771.
Relation of the different forms of frog rhodopsin observed by isoelectric focusing and electrophoresis to a functional model of rhodopsin clusters

in the disc membrane 25: 1865.
Two types of trichromatic squirrel monkey share a pigment in the red-green spectral region 25: 1937.

PIGMENT EPITHELIUM
The electroretinogram, standing potential, and light peak of the perfused cat eye during acid-base changes 25: 1163.

PROTANOPIA (SEE DICHROMACY)

PUPILS
Effect of pupil size on steady state accommodation 25: 1317.

READING
Psychophysics of reading - I. Normal vision 25: 239.
Psychophysics of reading - II. Low vision 25: 253.

RECEPTIVE FIELDS (SEE ALSO INDIVIDUAL CELL TYPES)
The spatiotemporal properties of the r-g X-cell channel 25: 33.
Spatial frequency tuning of transient non-oriented units 25: 67.
Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.
Intrinsic connectivity and receptive field properties in visual cortex 25: 365.
Chromatic and spatial information processing by red cones and L-type horizontal cells in the turtle retina 25: 543.
Receptive-field-like functions inferred from large-area psychophysical measurements 25: 1895.

RECEPTOR POTENTIAL (SEE CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
A schematic eye for the mouse, and comparisons with the rat 25: 21.
Photokeratometric and photorefractive measurements of astigmatism in infants and young children 25: 73.
Growth of the visual system in the African cichlid fish, Haplochromis burtoni. Accommodation 25: 163.
Modification of pattern reversal VERs by ocular accommodation 25: 599.

RETINAL DISEASE (SEE PATHOLOGY)

ROD-CONE INTERACTION (SEE CONES; RODS)

RODS
Frequency dependence in scotopic flicker sensitivity 25: 115.
Spatial spread of light-induced sensitization in rod photoreceptors exposed to low external calcium 25: 733.
Visual persistence from brief letters and pictures 25: 887.
Cone-rod interaction over time and space 25: 907.
Determinants of the spatial properties of cone-rod interaction 25: 1277.
Varieties of rhodopsin in frog rod outer segment membranes: analysis by isoelectric focusing 25: 1387.
Relation of the different forms of frog rhodopsin observed by isoelectric focusing and electrophoresis to a functional model of rhodopsin clusters in the disc membrane 25: 1865.

SACCADES (SEE EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (SEE SUPPRESSION)

SATURATION
Two temporal phases, brightness-dependent and -independent, in the chromatic response elicited by a briefly-flashed monochromatic light: a preliminary report 25: 1137.

SCHEMATIC EYE (SEE OCULAR DIMENSIONS)

SCOTOPIC VISION
Frequency dependence in scotopic flicker sensitivity 25: 115.
The scotopic visibility curve and cone intrusion 25: 863.
Determinants of the spatial properties of cone-rod interaction 25: 1277.

SPATIAL FREQUENCY

The spatiotemporal properties of the r-g X-cell channel 25: 33.
Is amblyopia spatial frequency or retinal locus specific? 25: 47.
Spatial frequency tuning of transient non-oriented units 25: 67.
Contrast sensitivity to drifting low spatial frequency gratings in central and peripheral retinal areas 25: 137.
Lower thresholds of motion for gratings as a function of eccentricity and contrast 25: 179.
On the detection of Gabor signals and discrimination of Gabor textures 25: 671.
Pattern electroretinogram: use of noncorneal skin electrodes 25: 867.
Role of low and high spatial frequencies in the face-selective responses of neurons in the cortex in the superior temporal sulcus in the monkey 25: 1021.
Evidence of the local character of spatial frequency channels in the human visual system 25: 1233.
Detecting the displacement of periodic patterns 25: 1253.
Temporal frequency discrimination in human vision: evidence for an additional mechanism in the low spatial and high temporal frequency region 25: 1493.
Spatial frequency interference on grating-induction 25: 1507.
The influence of spatial frequency on the reaction times and evoked potentials recorded to grating pattern stimuli 25: 1545.
A theory of the primitive spatial code in human vision 25: 1661.
Apparent spatial frequency and contrast of gratings: separate effects of contrast and duration 25: 1721.
On seeing temporal gaps between gratings: a criterion problem for measurement of visible persistence 25: 1729.
Optimal occluder luminance for seeing stationary visual phantoms 25: 1735.
Separate detectors for simple and complex grating patterns 25: 1869.
The low level motion system has both chromatic and luminance inputs 25: 1879.

SPATIAL VISION (SEE ALSO ACUITY; CHANNELS)
Neuropsychological basis of pattern vision in macaque monkeys 25: 425.
Neural mechanisms of space vision in the parietal association cortex of the monkey 25: 453.
Cone-rod interaction over time and space 25: 907.
Detecting the displacement of periodic patterns 25: 1253.
A theory of the primitive spatial code in human vision 25: 1661.

SPECTRAL SENSITIVITY
Ultraviolet photosensitivity in goldfish: an independent U.V. retinal mechanism 25: 11.
Spectral sensitivity of the freshwater turtle Pseudemys scripta elegans: evidence for the filter-effect of colored oil droplets 25: 833.
Shouldn't directional movement detection necessarily be "colour-blind"? 25: 997.
Early colour deprivation in a monkey (Macaca fascicularis) 25: 1337.
Sensitivity of the human neonate to short- and long-wavelength stimuli 25: 1641.

SPHERICAL ABERRATION (SEE ABERRATION)

STABILIZED VISION
Temporal modulation sensitivity of the blue mechanism: measurements made with extraretinal chromatic adaptation 25: 1439.

STEREOPSIS
Responses of neurons in visual cortex (V1 and V2) of the alert macaque to dynamic random-dot stereograms 25: 397.
Responsiveness of Clare-Bishop neurons to visual cues associated with motion of a visual stimulus in three-dimensional space 25: 407.
Stereopsis with chromatic signals from the blue-sensitive mechanism 25: 531.
Infant interocular acuity differences and binocular vision 25: 571.
Motion perception during dichoptic viewing of moving random-dot stereograms 25: 583.
The binocular contribution to monocular optokinetic nystagmus and after nystagmus asymmetries in humans 25: 589.
A comparison of stereo and vernier acuity within spatial channels as a function of distance from fixation 25: 1113.
Stereo-deficients and stereoblinds cannot make utrocular discriminations 25: 1345.

Electrophysiological evidence for the existence of coarse and fine disparity mechanisms in human 25: 1603.
Eye movements and stereopsis during dichoptic viewing of moving random-dot stereograms 25: 1689.

STILES-CRAWFORD EFFECT (SEE DIRECTIONAL SELECTIVITY)

STRABISMUS (SEE ALSO AMBLYOPIA)
Asymmetries of optokinetic nystagmus in amblyopia: the effect of selected retinal stimulation 25: 1431.
Contrast and accommodation in amblyopia 25: 1445.
Differences in the neural basis of human amblyopia: the distribution of the anomaly across the visual field 25: 1577.
Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.
Bielschowsky head-tilt test--II. Quantitative mechanics of the Bielschowsky head-tilt test 25: 1983.

SUMMATION, PROBABILITY
Prediction of flicker sensitivities from temporal three-pulse data 25: 577.

SUMMATION, SPATIAL
Effects on grating detection of vertically displaced peripheral gratings 25: 129.
Apparent contrast of a sinusoidal grating in the simultaneous presence of peripheral gratings 25: 1223.

SUMMATION, TEMPORAL
Prediction of flicker sensitivities from temporal three-pulse data 25: 577.
Two temporal phases, brightness-dependent and -independent, in the chromatic response elicited by a briefly-flashed monochromatic light: a preliminary report 25: 1137.
Temporal information processing in cones: effects of light adaptation on temporal summation and modulation 25: 1197.

SUPERIOR COLLICULUS (SEE OPTIC TECTUM)

SUPPRESSION (SEE ALSO BINOCULAR RIVALRY)
Stationary patterns suppress the perception of stroboscopic motion 25: 1501.

TECHNIQUES
Approximate visual axis projection for the rhesus monkey using a funduscope and alignment laser 25: 301.
The oscilloscopic view: retinal illuminance and contrast of point and line targets 25: 1097.
An afterimage vernier method for assessing the precision of eye movement monitors: results for the scleral coil technique 25: 1341.
A soft contact lens search coil for measuring eye movements 25: 1629.
The magnitude of longitudinal chromatic aberration of the human eye between 458 and 633 nm 25: 1747.
Measuring eye movements with a search coil: non-linear filter allows simultaneous recording of horizontal and vertical eye position by means of the phase modulation method 25: 1755.
Bielschowsky head-tilt test--I. Ocular counterrolling and Bielschowsky head-tilt test in 23 cases of superior oblique palsy 25: 1977.

TEMPORAL DISCRIMINATION
Temporal sensitivity in amblyopia: an explanation of conflicting reports 25: 39.
Temporal frequency discrimination in human vision: evidence for an additional mechanism in the low spatial and high temporal frequency region 25: 1493.

TEXTURE PERCEPTION
Texture discrimination: representation of orientation and luminance differences in cells of the cat striate cortex 25: 99.
Orientation sensitivity and texture segmentation in patterns with different line orientation 25: 551.
On the detection of Gabor signals and discrimination of Gabor textures 25: 671.

Complex visual textures as a tool for studying the VEP 25: 1811.
Sensitivity for structure gradient in texture discrimination tasks 25: 1957.

THRESHOLD (SEE CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (SEE DICHROMACY)

TROXLER EFFECT (SEE STABILIZED VISION)

VELOCITY (SEE MOVEMENT PERCEPTION)

VERNIER ACUITY (SEE HYPERACUITY)

VISUAL DIRECTION
Utrocular discrimination is not sufficient for utrocular identification 25: 289.
Visually guided head movement in the African chameleon 25: 935.

WAVELENGTH DISCRIMINATION (SEE COLOR DISCRIMINATION)